

Pioneer

Pioneer Dj

PIONEER DJ SERIES

Pioneer Dj

Leading the way in technological innovation



Swedish House Mafia/Pacha



James Zabiela/Space



Carl Cox/Space



Armin Van Buuren/Space



Chuckie/Pacha



Cristian Varela/Eden



Dirty South & Axwell/Ushuaia



Erick Morillo/Pacha

Join in and share
the passion

Dynamic DJing. An audience on fire.
The excitement reaches its peak when
the DJ booth and dance floor resonate.

Pioneer DJ and people from around
the world are heating up club culture.



Nervo/Dall'alta



Wally Lopez/Blue Marlin



Gareth Emery/Space



Calvin Harris/Amnesia



Bob Sinclar/Mambo



Laidback Luke/Amnesia



rekordbox™ supports the full life cycle of DJing, from music management, preparation to performance and feedback to ensure a stress-free experience.



BEFORE DJING

Setting and management to make DJing music files on your PC easier. Smartphone compatibility means information such as settings and management can be checked while out on the road, giving you time to prepare for your DJ performance.

- Load music files on your PC or smartphone into rekordbox™ and the beat and BPM are analyzed automatically.
- If you manage your music files with the PC version of rekordbox™, you can take them with you by sending the files to the mobile version of rekordbox™ wirelessly, or exporting them on a USB storage device/SD card.

DURING DJING

Play music files set and managed with rekordbox™

- Quickly select music files for playback using the playlists you've created with your settings and tag information.
- With your cue and loop points set in advance, you have extra breathing room in performance and your creative scope widens.
- Automatically save performance history (such as performance order and set points) to a USB storage device.

rekordbox™ lets you select the connection type to suit the style or equipment of every DJ.



Music files in the mobile version of rekordbox™ can be transferred to players connected via Wi-Fi/USB and then played.



"USB/SD Export" function that lets you use a USB storage device/SD card instead of having to take your PC to clubs or other venues.



"rekordbox™ LINK Export" to connect PCs and players via LAN for DJing.

AFTER DJING

Use the performance history to prepare your next performance

- Add comments to your music files post performance with ratings and color coding.
- Refer to the order and playlists you created during your last performance while you plan playlists for your next performance.
- Check, modify, and save your cue and loop point settings created during play.

For details and free download >>

rekordbox.com

INDEX

PROFESSIONAL DJ SERIES

CDJ-2000nexus	16
CDJ-900	16
DJM-2000nexus	17
DJM-900nexus	17
DJM-T1	18
DJM-700.....	18
MEP-7000	19
DJM-5000.....	19
MEP-4000	19
DJM-4000.....	19

PERFORMANCE DJ SERIES

CDJ-850.....	23
DJM-850.....	23
CDJ-350.....	24
DJM-350.....	24
DJM-400.....	25
DJM-250.....	25

DJ CONTROLLER/DJ SYSTEM SERIES

DDJ-SX.....	28
DDJ-S1	29
DDJ-T1	29
DDJ-ERGO-v.....	30
DDJ-ERGO-k.....	30
DDJ-WeGO	30
XDJ-AERO.....	31
DJC-SC1	31
DJC-SC2.....	31

REMIX STATION

RMX-1000.....	34
---------------	----

DJ HEADPHONE SERIES

HDJ-2000.....	36
HDJ-1500.....	36
HDJ-500	37
HDJ-500T.....	37
HDJ-HC01	37
HDJ-CA01	37
HDJ-EP01	37

ACTIVE REFERENCE SPEAKER

S-DJ08.....	38
S-DJ05.....	38

REFERENCE GRADE CABLE

DAS-RCA020R.....	39
DAS-DGC020R.....	39
DAS-XLR030R.....	39

COMBINATION.....	40-41
SPEC CHART.....	42-45



PROFESSIONAL DJ SERIES

FEATURES OF PROFESSIONAL DJ SERIES

The professional series that link passion with performance

MULTI PLAYER

Advanced functions that enhance performances

rekordbox™ lets you personally customize music through CUE points, LOOP settings, and the creation of playlists. PRO DJ LINK improves compatibility with mixers and PCs and makes DJing more enjoyable. In addition, multimedia support such as Smartphone makes various playing styles possible. Explore and realise true creative potential with the most advanced features.



▲ Access tracks from smartphones via Wi-Fi

Refined club quality

A layout refined for smooth operation is combined with a high responsiveness that lets you DJ the way you imagine. The carefully calculated size and weight of the big jog dials let you move from dynamic performance to subtle control. Built for the most discerning DJs in mind for the ultimate performance.



▲ Refined layout

High quality sound design that leads to the ideal club sound

Class-leading design and circuitry ensure optimum club sound in any venue with a Master Tempo function that is based on a new algorithm using a highspeed DSP. Reduced audio clock jitter, improved analog reproduction during D/A conversion, and a top of the line OPAMP all work together to deliver simply stunning audio with delicate and clear sound reproduction.



▲ High sound quality audio circuit design

DJ MIXER

Features for ground breaking performances


The DJ mixers have an interface designed for dynamic performances and come with a variety of effects to ensure unique performances every time. PRO DJ LINK support increases compatibility with players and PCs. The built-in USB soundcard gives you flexibility when using DJ software. These functions free you to express your creativity and continue to create new types of performances.



▲ Operation area loaded with effects

Refined club quality

A low-jitter crystal oscillator has been used for the audio circuit clock to reproduce the original sound clearly, with minimal noise. The system has been fine-tuned to deliver an optimum club sound, and a peak limiter has been used to achieve this by limiting distortion of the master sound output, even at large volumes. Audio design techniques developed at the latest and greatest clubs have been fused with technology that addresses every intricate detail of sound for a full club-like ambience.



Peak limiter ON: Naturally limits distortion

Uncompromising quality that expands possibilities

The carefully considered layout of the DJ mixers ensures easy and intuitive operation. No detail is missed, including durable faders that make fine adjustments possible. In addition, the EQ, BEAT EFFECT, and other knobs are made from non-slip, easy-to-handle materials so you can perform with confidence. From dynamic expression to fine-tuned operation, our exacting designs bring high quality to DJing.



▲ Intuitive layout for easy operation

nexus System

An innovative professional DJ system that redefines existing DJ equipment designed for use in a variety of situations, from the studio and the home, to club booths and even on the road

nexus System...


PRO DJ LINK makes connecting DJ mixers, multi players and other audio devices a breeze. Combine this with rekordbox™ that allows DJs to work seamlessly on their performances, including preparing for an event at home, DJing at clubs, and applying feedback, and the resulting masterpiece is the "nexus system". nexus allows for even easier DJing and greater DJing variations as the ultimate club and performance tool for DJs.

nexus System



PRO DJ LINK offers improved compatibility with various music devices, multiple players and our new DJ mixers

Connection example of "PRO DJ LINK"



- 1 Send music files stored on smart phones, tablets and computers¹, as well as various other devices², via Wi-Fi/LAN/USB cable connections.
- 2 "SYNC MASTER" function enables playback with matching master clock of DJM-2000nexus to the beat of CDJ-2000nexus's music. In addition, also features "BEAT SYNC" to match the beat of the music instantly between the players.
- 3 "TRAFFIC LIGHT" function enables to easily check which songs are in a key that is compatible with the music being played.
- 4 The status of each connected channel is sent to the multi players. Live on-air deck feedback shows the channel in play allowing the status to be checked at a glance and making for a worry-free performance.
- 5 The Quantize function enables beat effects to be applied perfectly in sync with the music tempo.
- 6 DJs can play from two rekordbox™ laptops for easy changeover and back play.
- 7 Sound input from a MIC or sound output from the MASTER can be recorded to this mixer and played on a multi player. Voice recorded from the MIC can be immediately used in scratching or for other new performances³.
- 8 The music files in rekordbox™ can be monitored on headphones. This allows the DJ to check the song before playing it on a player, thus smoothing out the process of selecting a song and playing it¹.

PROFESSIONAL DJ SERIES



CDJ-2000nexus/DJM-2000nexus



CDJ-2000nexus/DJM-900nexus

PROFESSIONAL DJ SERIES

MULTI PLAYER



Made for
iPod iPhone iPad

MULTI PLAYER



PROFESSIONAL MULTI PLAYER

CDJ-2000nexus

USB SD DVD MP3 / AAC / WAV / AIFF

Model number: CDJ-2000NXS

The industry standard has evolved.
Access your music over Wi-Fi/ USB from smartphone or tablet.

- DJ play using music stored inside smartphones and tablets via Wi-Fi/USB connection^{*1}.
- Includes rekordbox™ music management software for advance preparation of music to be used in DJ play.
- "PRO DJ LINK" function expands scale of DJ performances.
- Full-color LCD display for quick song selection and instant understanding of musical progress.
- "SLIP" and "QUANTIZE"^{*2} functions for reliable performance without changing progress of original music.
- My Settings function for immediate access to personal preferences.
- New algorithm enables master tempo to deliver sound quality more faithful to original tone.
- High sound quality design for faithful reproduction of original tone and clear/powerful club sound.
- Support for various media and formats.

rekordbox™ compatible	PRO DJ LINK	Wi-Fi connection	High quality digital audio	MIDI control
Soundcard	SLIP MODE	LOOP	My Settings function	Scratch
REVERSE	QUANTIZE	ON JOG DISPLAY	VINYL SPEED ADJUST	Digital audio output
TRAKTOR series compatible	SCRATCH LIVE™ compatible	VIRTUAL DJ PRO compatible		
ADVANCED BIG JOG	TAG LIST	NEEDLE SEARCH	JOG FEELING ADJUST	HOT CUE

PROFESSIONAL MULTI PLAYER

CDJ-900

USB MP3 / AAC / WAV / AIFF

Professional Multi Player with enhanced SLIP MODE and new AUTO BEAT LOOP functions performance to expand the expressive power of DJ performance.

- Compatible with a variety of media and formats.
- Includes rekordbox™ DJ music management software to make life easier for DJs.
- Equipped with PRO DJ LINK function that enables data sharing between players, and DJ play using USB storage devices.
- Equipped with SLIP MODE function that expands the palette of DJ performance.
- In addition to the standard AUTO BEAT LOOP function, comes equipped with QUANTIZED BEAT LOOP function for increased loop performance accuracy.^{*1}
- High quality audio design for achieving the ultimate club sound.

rekordbox™ compatible	PRO DJ LINK	High quality digital audio	MIDI control	Soundcard
LOOP	Scratch	REVERSE	QUANTIZE	ON JOG DISPLAY
VINYL SPEED ADJUST	Digital audio output	TRAKTOR series compatible	SCRATCH LIVE™ compatible	VIRTUAL DJ PRO compatible
206mm BIG JOG ^{*3}	TAG LIST	SLIP MODE		

DJ MIXER



PROFESSIONAL DJ MIXER

DJM-2000nexus

Model number: DJM-2000NXS

Advanced Performance using Advanced PRO DJ LINK.
High-end DJ mixer for pro DJs and clubs.

- New "PRO DJ LINK" expanding scale of DJ performances.
- "BEAT SLICE" function to create new track slices using the touch panel.
- "SYNC MASTER", collectively controlling beat of multiple players.
- High-quality sound design to create the ideal club sound.
- Newly developed peak limiter that allows playback while limiting track distortion, even at high audio volumes.
- High-durability channel fader used for non-stop smooth operations.
- Advanced design that matches the professional CDJ-2000nexus model.

4 channel	Fully digital mixer	32 bit/96 kHz D/A converters	24 bit/96 kHz A/D converters	Digital inputs & outputs
MIDI control	PRO DJ LINK	rekordbox™ compatible	PEAK LIMITER	TALK OVER
SEND/RETURN	BEAT EFFECT	MANUAL EFFECT	Soundcard	3-BAND ISOLATOR
Large LCD touch panel	QUANTIZE	MIDI dedicated interface	EFFECT FREQUENCY	P-LOCK FADER CAP

DJ MIXER



PROFESSIONAL DJ MIXER

DJM-900nexus

Model number: DJM-900NXS

Equipped with a high power USB card allowing direct connection with a computer. New effects and intuitive operability broaden performance capabilities.
4 channel professional DJ mixer that achieves clear, powerful, high quality audio.

- Equipped with a 24bit/96kHz 4IN 4OUT high power USB soundcard.
- Equipped with a wide array of effects for achieving a wide range of song arrangements.
- High audio fidelity design that completely eliminates noise and is faithful to the original sound.
- Equipped with all new high power channel faders.
- Equipped with PRO DJ LINK function for enriching DJ performance.
- TRAKTOR 2 functions are usable by making a simple connection.
- Equipped with many functions that support DJ performance.

4 channel	Fully digital mixer	24 bit/96 kHz D/A converters	24 bit/96 kHz A/D converters	Digital inputs & outputs
MIDI control	TALK OVER	SEND/RETURN	BEAT EFFECT	MANUAL EFFECT
Soundcard	3-BAND ISOLATOR			
X-PAD	PRO DJ LINK	rekordbox™ compatible	QUANTIZE	DVS compatible ^{*2}
P-LOCK FADER CAP	ADVANCED TALK OVER	Change PC audio input and output paths		

CDJ-2000nexus

CDJ-900

DJM-2000nexus

DJM-900nexus

Included with the CDJ-2000 nexus: audio cable (1.5 m)/LAN cable (1.5 m)/control cord/power cord/force disc eject pin/CD-ROM (rekordbox™)/warranty card/instruction manual
CDJ-900: audio cable (1.5 m)/LAN cable/control cord/power cord/force disc eject pin/CD-ROM (rekordbox™)/warranty card/instruction manual
^{*1}: Commercially available wireless LAN router separately required for Wi-Fi connection.
^{*2}: Works with music that has been analyzed by rekordbox™.
^{*3}: Compatible with firmware Ver. 4.00 or higher. Firmware can be downloaded from <http://pioneerdj.com/support/> ^{*4}: Maximum dimension measurement.

Included with the DJM-2000 nexus: USB cable (1.5 m)/4 LAN cables (1.0m)/power cord/CD-ROM (driver software)/warranty card/instruction manual
DJM-900 nexus: USB cable (1.5 m)/power cord/CD-ROM (driver software)/warranty card/instruction manual
^{*}: If using TRAKTOR SCRATCH, you will need to purchase the TRAKTOR SCRATCH 2 upgrade in order to use this function.
For details refer to the Native Instrument website. Not compatible with the Serato Audio Research version of SCRATCH LIVE™.



CDJ-2000nexus/DJM-T1

DJ MIXER



- Includes TRAKTOR SCRATCH DUO 2 Software/2 CONTROL CD/2 CONTROL VINYL

DJ MIXER



DJM-700-S (SILVER)

DJM-700-K (BLACK)

2 CHANNEL TRAKTOR MIXER

DJM-T1

Equipped with dedicated controller functions for free control of TRAKTOR 2. Built-in USB soundcard enables TRAKTOR SCRATCH 2 scratch control. 2-channel professional DJ mixer equipped with high performance faders.

- Equipped with controller functions that can operate a variety of TRAKTOR 2 series functions. The addition of ADVANCED SHIFT mode allows for control of a greater number of functions.*2
- DJing with TRAKTOR SCRATCH 2 is possible.
- Equipped with high performance faders with high durability and excellent operability.
- High audio quality technology that enables clear, powerful DJ sound.
- A variety of audio output paths to suit your needs.

2 channels	Fully digital mixer	24bit/48kHz D/A converter	24bit/48kHz A/D converter
Digital inputs & outputs	MIDI control	TALK OVER	SEND/RETURN
BEAT EFFECT	MANUAL EFFECT	Soundcard	3-BAND ISOLATOR
TRAKTOR 2 dedicated controller	MIDI dedicated interface	DVS compatible**	ADVANCED SHIFT*
FEELING ADJUST	CROSS FADER CUT LAG	CROSS FADER REVERSE	Magnetic crossfader
P-LOCK FADER CAP	Change PC audio input and output paths		

PROFESSIONAL DJ MIXER

DJM-700

24bit/96kHz high quality audio for all DJs. Middle standard model digital DJ mixer.

- 24bit/96kHz fully digital high quality sound
- Equipped with effect frequency filter function for varying BEAT EFFECTS.
- Equipped with MANUAL FILTER function that enables intuitive application of filter effects.
- Equipped with high audio quality, advanced functionality BEAT EFFECT functions.
- Equipped with ROLL SAMPLER function that improves sampling performance.
- Equipped with fully assignable MIDI functionality enabling external MIDI control.
- Familiar world standard layout

4 channels	Fully digital mixer	24 bit/96 kHz D/A converters	24 bit/96 kHz A/D converters
Digital inputs & outputs	MIDI control	TALK OVER	SEND/RETURN
BEAT EFFECT	MANUAL EFFECT	Soundcard	3-BAND ISOLATOR
MANUAL FILTER	Effect frequency filter		

MULTI PLAYER



Pictured with the DJM-5000

- Included software



MULTI ENTERTAINMENT PLAYER

MEP-7000

USB DVD ROM MP3 / AAC / WAV / AIFF

Multi entertainment player compatible with a variety of USB storage devices in addition to discs, and equipped with a variety of performance functions.

- DJ play is possible from a USB storage device and with MP3/AAC files.
- Features superior visibility with a large 4.3-inch color LCD and intelligent GUI that enables fast song selection.
- Controls DJS and third party DJ software with the same operating feeling of the CDJ series.
- Equipped with SCRATCH JOG EFFECT and DIGITAL JOG BREAK functions for aggressive performance.
- Equipped with AUTO MIX function that automatically mixes and plays back songs stored in your playlist.
- Area color EL display for easy viewing and use under any conditions.

rekordbox™ compatible	PRO DJ LINK	Wi-Fi connection	High quality digital audio	MIDI control
Soundcard	SLIP MODE	LOOP	My Settings function	Scratch
REVERSE	QUANTIZE	ON JOG DISPLAY	VINYL SPEED ADJUST	Digital audio output
TRAKTOR series compatible	SCRATCH LIVE™ compatible	VIRTUAL DJ PRO compatible		
80mm JOG**	PLAY LIST	SCRATCH JOG EFFECT	DIGITAL JOG BREAK	AUTO MIX

DJ MIXER



Pictured with the DJM-4000

MULTI ENTERTAINMENT PLAYER

MEP-4000

USB DVD ROM MP3 / AAC / WAV / AIFF

Playback music from USB devices and CDs. Music file management with “rekordbox™” enables quick track selection from a large music collection.

- Music CDs and file music (MP3 CD-ROM, USB devices) playback
- “rekordbox™” music management software for easy browsing

rekordbox™ compatible	PRO DJ LINK	Wi-Fi connection	High quality digital audio	MIDI control
Soundcard	SLIP MODE	LOOP	My Settings function	Scratch
REVERSE	QUANTIZE	ON JOG DISPLAY	VINYL SPEED ADJUST	Digital audio output
TRAKTOR series compatible	SCRATCH LIVE™ compatible	VIRTUAL DJ PRO compatible		
62mm JOG**	RELAY PLAY			

MULTI PLAYER



PROFESSIONAL DJ MIXER

DJM-5000

Highly developed MC, DJ and PA functions. A multi-entertainment mixer suited to a variety of party environments.

- Equipped with a feature-rich microphone that achieves high level MC performance.
- Equipped with ADVANCED TALK OVER function.
- Internal soundcard enables direct audio input and output from a PC.
- Equipped with fully assignable USB MIDI functionality enabling control of MIDI compatible DJ software.
- MASTER/ZONE split output enables two performances in different locations with one machine.
- Equipped with SOUND MAXIMIZER function for achieving the ideal sound settings to suit the conditions and mood.

4 channels	Fully digital mixer	24 bit/96 kHz D/A converters	24 bit/96 kHz A/D converters	Digital inputs & outputs
MIDI control	TALK OVER	SEND/RETURN	BEAT EFFECT	MANUAL EFFECT
Soundcard	3-BAND ISOLATOR			
MIC EFFECT	ADVANCED TALK OVER	ZONE OUT	SOUND MAXIMIZER	

DJ MIXER



PROFESSIONAL DJ MIXER

DJM-4000

Electric crossover and high-resolution full digital processing. USB sound card equipped to play music from laptop PC/MAC.

- Electric crossover enabling optimum bass balance for master output and subwoofer output with a single knob
- Built-in USB sound card for playback music stored on PC
- Wide range of functions supporting various styles of party usage

4 channels	Fully digital mixer	24bit/48kHz D/A converters	24bit/48kHz A/D converters	Digital inputs & outputs
MIDI control	PRO DJ LINK	rekordbox™ compatible	PEAK LIMITER	TALK OVER
SEND/RETURN	BEAT EFFECT	MANUAL EFFECT	Soundcard	3-BAND ISOLATOR
ELECTRIC CROSSOVER	SUBWOOFER output	ZONE OUT		

Included with the DDJ-T1: USB cable (1.5 m)/AC adapter and power plug/CD-ROM (TRAKTOR PIONEER DDJ-T1 EDITION software and driver software)/warranty card/instruction manual

DJM-700: warranty card/instruction manual

*1: Compatible with firmware Ver. 2.00 or higher. Firmware can be downloaded from <http://pioneerdj.com/support/>

*2: Current users of TRAKTOR SCRATCH can use this function by purchasing the update to TRAKTOR SCRATCH 2. For details please refer to the Native Instruments, Inc. website. Not compatible with SCRATCH LIVE™ by Serato Audio Research.

Included with the MEP-7000: 2 audio cables (1.5 m)/2 control cords/USB cable (1.5 m)/USB auxiliary power cable/remote control cable/power cord/force disc eject pin/CD-ROM (DJS)/warranty card/instruction manual

MEP-4000: audio cables (1.5 m)/dedicated remote control cable/power cord/ rekordbox license key seal/instruction manual

DJM-5000: USB cable (1.5 m)/CD-ROM (driver software)/warranty card/instruction manual

DJM-4000: power cord/ instruction manual

*1: Maximum dimension measurement.

PERFORMANCE DJ SERIES



FEATURES OF PERFORMANCE DJ SERIES

Performance Series: the ideal DJ style is within your grasp

MULTI PLAYER

Excellent operability that makes club-level performances possible in your home

Big 206 mm diameter jog dials offer flexible control. The layout is the same as our professional models and includes easy-to-use rotary selectors and a browse button at the top of the display. This home model has inherited its operability from our professional model.



▲ Club-standard layout

Multi-media support so you can DJ in your favorite styles

The multi players allow you to DJ using a USB storage device or a PC. They also support many downloadable music formats like MP3, AAC, WAV, and AIFF. This multi-media and multi-format support makes it possible for you to DJ the way you like.



▲ USB storage device connector

Include rekordbox™ for stress-free DJing

rekordbox™ software is included so you can manage music files for easier DJing. Since managed music files can be copied to USB storage devices without conversion, you can DJ using music files that match your own specifications. Playback history can be stored to rekordbox™ so you can use the information for your next performance. rekordbox™ music management software supports the performances of home DJs.



▲ rekordbox™ screen

DJ MIXER

A variety of effects to achieve fully personalized performances

Just like our professional model, this DJ mixers include BEAT EFFECT to apply effects that sync with the beat and SOUND COLOR FX/BEAT COLOR FX to further personalize your mixes.* By combining various effects, you can produce around 100 types of effects and ensure that your mixes are full of originality.



▲ BEAT EFFECT



▲ SOUND COLOR FX/BEAT COLOR FX

High quality sound passed down from the ideas behind our professional models

These DJ mixers use parts that produce high quality sound such as a 32-bit output D/A converters and a 32-bit digital signal processor. Furthermore, digital circuits are separated by analog circuits to minimize the transmission path and produce a clear and powerful sound with low noise. Reproduce a high quality sound in your own home and spark your DJing desires.

High performance soundcard for various situations

The DJ mixers include a 24-bit/96 kHz 4 input and 4 output high performance stereo soundcard so you can change the output signal paths to suit your purposes. With the direct connection to a PC, you can input and output audio signals without degrading audio quality. With support for three types of sampling rates (96, 48, and 44.1 kHz), they can also be used for music recording and creation.



▲ Setting utility tool

PERFORMANCE DJ SERIES



CDJ-850-K/DJM-850-K

MULTI PLAYER



CDJ-850 (SILVER)

CDJ-850-K (BLACK)

CDJ-850-W (PEARL WHITE)

PERFORMANCE MULTI PLAYER

CDJ-850

USB MP3 / AAC / WAV / AIFF

Features club standard layout while being compatible with USB storage devices. Widens the scope of DJ play by extending the possibilities with digital music files using rekordbox™ DJ music management software. A performance Multi Player for home DJs.

- Features club standard layout.
- Compatible with a variety of media/formats.
- Includes rekordbox™ DJ music management software that makes life easier for DJs.
- Pioneer's proprietary USB Export feature innovates the cycle of the DJ process.
- Browse and display make for quick and easy song selection.
- Can be used as a DJ software controller and as a soundcard.
- Equipped with editable TAG LIST function.

rekordbox™ compatible	PRO DJ LINK	High quality digital audio	MIDI control
Soundcard	LOOP	Scratch	REVERSE
QUANTIZE	ON JOG DISPLAY	VINYL SPEED ADJUST	Digital audio output
TRAKTOR 2 compatible*	SCRATCH LIVE™ compatible	VIRTUAL DJ PRO compatible	
206mm BIG JOG**	TAG LIST		

DJ MIXER



DJM-850-K (BLACK)

DJM-850-S (SILVER)

DJM-850-W (PEARL WHITE)

PERFORMANCE DJ MIXER

DJM-850

High quality internal soundcard enables direct connection with a computer via USB. 4-channel mixer for home DJ equipped with BEAT COLOR FX that achieves various music arrangements.

- Built-in 24bit/96kHz high-performance stereo USB soundcard with 4 inputs and 4 outputs.
- Equipped with BEAT COLOR FX that changes effect results in coordination with each channel input.
- High sound quality design that produces a clear, powerful DJ sound.
- Supports TRAKTOR SCRATCH PRO 2/DUO 2 control (DVS).

4 channel	Fully digital mixer	32 bit/96 kHz D/A converters	24 bit/96 kHz A/D converters
Digital outputs	MIDI control	TALK OVER	SEND/RETURN
BEAT EFFECT	MANUAL EFFECT	Soundcard	3-BAND ISOLATOR
BEAT COLOR FX	DVS compatible*	P-LOCK FADER CAP	ADVANCED TALK OVER
Change PC audio output paths			

Included with the CDJ-850: audio cable (1.5 m)/control cord/power cord/force disc eject pin/CD-ROM (rekordbox™)/warranty card/instruction manual
DJM-850: USB cable (1.5 m)/power cord/CD-ROM (driver software)/warranty card/instruction manual
*1: The TRAKTOR PRO 2 or TRAKTOR PRO mapping file can be downloaded at <http://pioneerdj.com/support/>
*2: Maximum dimension measurement.
*3: Compatible with TRAKTOR SCRATCH PRO 2/DUO 2 (Ver.2.1.3 or higher). Not compatible with SCRATCH LIVE™ by Serato Audio Research.



CDJ-350/DJM-350



CDJ-350-S/DJM-250-W

MULTI PLAYER

PERFORMANCE MULTI PLAYER

CDJ-350

USB MP3 / AAC / WAV / AIFF

Compatible with music files on a USB storage device, and enables performance while displaying the track's sound wave.

The Multi Player most suited to home use.

- Compatible with a variety of media/formats.
- Includes rekordbox™ DJ music management software that makes life easier for DJs.
- Equipped with BEAT Display capability for enjoyable scratch and loop performance while looking at the beat.
- Equipped with a variety of LOOP functions that widen the possibilities of DJ play.
- Equipped with AUTO BPM LOCK function for one-push tempo matching.
- Equipped with PLAY LIST creation function that can immediately save songs you like.
- Can be used as a DJ software controller and as a soundcard.

rekordbox™ compatible	PRO DJ LINK	High quality digital audio	MIDI control
Soundcard	LOOP	Scratch	REVERSE
QUANTIZE	ON JOG DISPLAY	VINYL SPEED ADJUST	Digital audio output
TRAKTOR 2 compatible*	SCRATCH LIVE™ compatible	VIRTUAL DJ PRO compatible	
132mm JOG*2	PLAY LIST	AUTO BPM LOCK	



CDJ-350
(BLACK)



CDJ-350-W
(PEARL WHITE)



CDJ-350-S
(METALLIC SILVER)



DJ MIXER

PERFORMANCE DJ MIXER

DJM-350

USB recording function can record a DJ MIX to a USB storage device.

A 2-channel performance DJ mixer equipped with isolators and 4 types of effects.

- Direct recording to a USB storage device enabled.
- Equipped with 4 EFFECTS types for enjoying remixing with intuitive operation.
- Equipped with a 3-BAND ISOLATOR for each channel.
- High audio quality design that allows enjoyment of DJ mixing with clear sound.

2 channel	Fully digital mixer	24 bit/48 kHz D/A converters	24 bit/48 kHz A/D converters
Digital inputs & outputs	MIDI control	TALK OVER	SEND/RETURN
BEAT EFFECT	MANUAL EFFECT	Soundcard	3-BAND ISOLATOR
USB recording	P-LOCK FADER CAP*		



DJM-350
(BLACK)



DJM-350-W
(PEARL WHITE)

DJ MIXER

PERFORMANCE DJ MIXER

DJM-400

Fully digital 24bit/96kHz high quality audio and superior operability enable a variety of music arrangement possibilities.

A 2-channel performance DJ mixer for enjoying DJ play.

- High quality audio design with fully digital 24bit/96kHz sampling.
- Equipped with IN-LOOP SAMPLER functionality that enables real-time remixing.
- Equipped with a variety of BEAT EFFECT functions for applying effects matched to BPM.
- Equipped with a 3-BAND ISOLATOR for each channel.

2 channel	Fully digital mixer	24 bit/96 kHz D/A converters	24 bit/96 kHz A/D converters
Digital inputs & outputs	MIDI control	TALK OVER	SEND/RETURN
BEAT EFFECT	MANUAL EFFECT	Soundcard	3-BAND ISOLATOR
IN-LOOP SAMPLER			



DJ MIXER

PERFORMANCE DJ MIXER

DJM-250

Independent Sound Color Filter on each channel enabling dynamic, intuitive arrangement.

2CH DJ mixer for enjoying authentic DJing.

- SOUND COLOR FILTER enables a wide variety of music arrangement and mixing.
- 8 inputs enabling connection with a variety of devices.
- XLR balanced output terminals for minimized audio signal degradation.

2 channel	Fully digital mixer	24 bit/48 kHz D/A converters	24 bit/48 kHz A/D converters
Digital inputs & outputs	MIDI control	TALK OVER	SEND/RETURN
BEAT EFFECT	MANUAL EFFECT	Soundcard	3-BAND ISOLATOR
P-LOCK FADER CAP	Rack mount ears		



DJM-250-K
(BLACK)



DJM-250-W
(WHITE)

A young man in a bright yellow t-shirt is DJing at a white Pioneer DJ controller. He is wearing large black headphones and has his mouth open in an expressive shout or song. His right hand is raised near his head. To his left, a friend in a blue denim shirt is also gesturing with his hand. To the right, another friend in a red and black plaid shirt has his hand on the DJ's shoulder. The scene is brightly lit, capturing a moment of high energy at a party or event.

DJ CONTROLLER/
DJ SYSTEM SERIES

DJ CONTROLLER / DJ SYSTEM SERIES

Complete range of DJ controllers and systems designed to suit any style and software.

DJ CONTROLLER

DDJ-SX, DDJ-S1 and DDJ-T1 for full control of DJ software

An intuitive operating panel that provides full direct control of all the functions of DJ software, and adopting the base layout of professional systems for an even higher level of operability. Provides a truly unique DJing experience, from dynamic DJ performance to delicate control.




▲ PERFORMANCE PADS (DDJ-SX) for dynamic DJ performance

▲ Layout for optimum operability

DDJ-ERGO and DDJ-WeGO to add a further level of excitement with light and sound

Semi-transparent jog dials and buttons have been augmented with LEDs that change colors and play animations while DJing. Colors can be selected to suit the taste of the DJ, and the unit itself has a compact design to fit a wide range of rooms. The unique styling helps to make DJing a truly enjoyable experience.



▲ PULSE CONTROL that assists with DJing

▲ LAPTOP DOCK design (DDJ-ERGO) that allows installation in tight areas

DJ SYSTEM

XDJ-AERO "Wi-Fi DJ" for a completely new DJing style

Pioneer's proprietary concepts and technology give rise to a new type of DJing. Users can connect their own smartphone via Wi-Fi, and send or play music wirelessly. This new DJ system is bound to complement any type of music lifestyle, both at home and at parties with friends.



▲ Send music files via Wi-Fi

DJ CONTROLLER

PERFORMANCE DJ CONTROLLER

DDJ-SX

4 CH controller for Serato DJfeaturing PERFORMANCE PADS and BIG JOG enable to achieve dynamic and unique performance.

- The latest DJ software Serato DJ (free to download) for a truly unique DJing experience.
- Layout exclusively designed for the new "Serato DJ".
- A wide range of input and output terminals to provide connectivity to various external sources.
- High audio quality engineering that reproduces original tracks accurately and clearly.
- A premium finish designed to suit a variety of occasions including official events and home parties.

TRAKTOR 2 compatible*	Serato DJ compatible	Serato DJ Intro compatible	VIRTUAL DJ PRO compatible
djay compatible	CrossDJ, Cross compatible	High quality digital audio	MIDI control
Soundcard	LOOP button	Scratch	REVERSE
VINYL SPEED ADJUST	PERFORMANCE PADS	4-CHANNEL MIXER	
149mm JOG*	4 decks (2-deck switching)	LOAD button	SYNC button
SLIP button	MIC/AUX THRU switc	TALK OVER	NEEDLE SEARCH

- Free to download



Included with the DDJ-SX: USB cable (1.5 m)/AC adapter and power plug/CD-ROM (Instration disc)/warranty card
*: Maximum dimension measurement.

DJ CONTROLLER

DJ CONTROLLER

DDJ-S1

Professional specifications and layout for intuitive performance.

A Serato ITCH 2.2 controller for home DJs, equipped with proprietary advanced functions.

- Adopts the layout of Pioneer professional DJ models and realizes high operability.
- Employs LAPTOP DOCK construction that enables integration with a laptop.
- Equipped with Playing Address that lets you check song playback progress at a glance.
- A new HOT CUE FADER START function that expands the DJ performance palette.
- Plug and play compatibility lets you begin DJ play by simply connecting a USB cable.
- Comes with Serato ITCH 2.1 software. A dedicated DDJ-S1 button enables album artwork display switching.
- Equipped with abundant inputs and outputs.
- High sound quality design that produces a clear, powerful DJ sound.



- Included software



Comes with 'SERATO ITCH 2.0'

- Users of Serato ITCH can update for free to Serato ITCH 2.2. See <http://pioneerdj.com/support/> for details.

TRAKTOR 2 compatible*	Serato ITCH 2.2 compatible	Serato DJ Intro compatible	VIRTUAL DJ PRO compatible
djay compatible	CrossDJ, Cross compatible	High quality digital audio	MIDI control
Soundcard	LOOP button	Scratch	REVERSE
VINYL SPEED ADJUST	PERFORMANCE PADS	4-CHANNEL MIXER	
132mm JOG*	2 decks	LAPTOP DOCK	USB bus power
P-LOCK FADER CAP	LOAD button	SYNC button	Playing Address
SLIP button	MIC/AUX THRU switch	TALK OVER	NEEDLE SEARCH

DJ CONTROLLER

DJ CONTROLLER

DDJ-T1

Employs an effects operation area matched to the TRAKTOR 2 GUI, and a professional specifications layout.

A 4-channel controller for home DJs with high operability that enables true DJ performance.

- Employs a layout matched to the TRAKTOR 2 DJ software GUI, and actualizes high operability.
- LAPTOP DOCK construction that enables integration with a laptop further enhances TRAKTOR PIONEER DDJ-T1 EDITION 2 software operability.
- Plug and play compatibility lets you begin DJ play by simply connecting a USB cable.
- Comes with TRAKTOR PIONEER DDJ-T1 EDITION 2 software featuring custom functions for the DDJ-T1.
- High sound quality design that produces a clear, powerful DJ sound.



- Included software



- Users of TRAKTOR PIONEER DDJ-T1 EDITION can update for free to TRAKTOR PIONEER DDJ-T1 EDITION 2. See <http://pioneerdj.com/support/> for details.

TRAKTOR 2 compatible*	Serato ITCH 2.2 compatible	Serato DJ Intro compatible	VIRTUAL DJ PRO compatible
djay compatible	CrossDJ, Cross compatible	High quality digital audio	MIDI control
Soundcard	LOOP button	Scratch	REVERSE
VINYL SPEED ADJUST	PERFORMANCE PADS	4-CHANNEL MIXER	
132mm JOG*	4 decks (2-deck switching)	LAPTOP DOCK	USB bus power
P-LOCK FADER CAP	LOAD button	SYNC/MASTER button	NEEDLE SEARCH
TRAKTOR 2 layout			

Included with the DDJ-S1: USB cable (1.5 m)/AC adapter and power plug/CD-ROM (Serato ITCH 2.1 software and driver software)/warranty card/instruction manual.
DDJ-T1: USB cable (1.5 m)/AC adapter and power plug/CD-ROM (TRAKTOR PIONEER DDJ-T1 EDITION 2 software and driver software)/warranty card/instruction manual.
*: Maximum dimension measurement.

■ Laptop not included.

DJ CONTROLLER



- Included software



- Supported software




DJ CONTROLLER



- Included software



- Supported software



DJ CONTROLLER



DDJ-WeGO-R
(RED)



DDJ-WeGO-G
(GREEN)



DDJ-WeGO-V
(VIOLET)



DDJ-WeGO-K
(BLACK)



DDJ-WeGO-W
(WHITE)

- Included software



- Supported software



DJ CONTROLLER

DDJ-ERGO-V

DJing performance using light. Features an attractive design and LAPTOP DOCK construction to fit any space. Includes “Virtual DJ Limited Edition” software for enjoyment of various types of DJing. Also compatible with a variety of other DJ software.

- PULSE CONTROL for DJ performance using light.
- Unique “Delight” design concept suits every environment.
- Features LAPTOP DOCK construction that makes DJing possible even in small spaces.
- Bundled with Virtual DJ Limited Edition software for enjoyment of various types of DJing. Also compatible with a variety of other DJ software.
- Achieves high operability with the same layout as Pioneer professional DJ models.
- Completely USB-powered.
- High sound quality design that achieves a clear, powerful DJ sound.

TRAKTOR 2 compatible ¹⁾	Serato iTOCH 2.2 compatible ²⁾	Serato DJ Intro compatible ³⁾	VIRTUAL DJ PRO compatible ⁴⁾
djay compatible ⁵⁾	CrossDJ, Cross compatible ⁶⁾	High quality digital audio	MIDI control
Soundcard	LOOP button	Scratch	REVERSE
VINYL SPEED ADJUST	PERFORMANCE PADS	4-CHANNEL MIXER	
132mm JOG ⁵⁾	4 decks (2-deck switching)	LAPTOP DOCK	USB bus power
P-LOCK FADER CAP	LOAD button		

DJ CONTROLLER

DDJ-ERGO-K

DJing performance using light. Features an attractive design and LAPTOP DOCK construction to fit any space. Includes “TRAKTOR LE 2” software for enjoyment of various types of DJing. Also compatible with a variety of other DJ software.

- Premium black color give impression of chic and refinement
- PULSE CONTROL for DJ performance using light
- Includes “TRAKTOR LE 2” DJ software packed with basic functions and also supports various other DJ software
- Features LAPTOP DOCK construction that makes DJing possible even in small spaces
- Achieves high operability with the same layout as Pioneer professional DJ models

TRAKTOR 2 compatible ¹⁾	Serato iTOCH 2.2 compatible ²⁾	Serato DJ Intro compatible ³⁾	VIRTUAL DJ PRO compatible ⁴⁾
djay compatible ⁵⁾	CrossDJ, Cross compatible ⁶⁾	High quality digital audio	MIDI control
Soundcard	LOOP button	Scratch	REVERSE
VINYL SPEED ADJUST	PERFORMANCE PADS	4-CHANNEL MIXER	
132mm JOG ⁵⁾	4 decks (2-deck switching)	LAPTOP DOCK	USB bus power
P-LOCK FADER CAP	LOAD button		

DJ CONTROLLER

DDJ-WeGO

The perfect beginner's DJ controller with LED effects and illumination making mixing easier and a lot more fun.

- DJ performances with various lights and effects.
- Main animation of “PULSE CONTROL” function.
- Multi-colored LED for color customization of lights to match the user's style.
- Easy-to-carry, compact design.
- “Virtual DJ Limited Edition” DJ software included*6 for enjoyment of diverse DJ play, and support for various DJ software.

TRAKTOR 2 compatible ¹⁾	Serato iTOCH 2.2 compatible ²⁾	Serato DJ Intro compatible ³⁾	VIRTUAL DJ PRO compatible ⁴⁾
djay compatible ⁵⁾	CrossDJ, Cross compatible ⁶⁾	High quality digital audio	MIDI control
Soundcard	LOOP button	Scratch	REVERSE
VINYL SPEED ADJUST	PERFORMANCE PADS	4-CHANNEL MIXER	
110mm JOG ⁵⁾	4 decks (2-deck switching)	LAPTOP DOCK	USB bus power
LOAD button			

DJ SYSTEM



WIRELESS DJ SYSTEM

XDJ-AERO

MP3/AAC/WAV/AIFF

New wireless DJ system “XDJ-AERO” for home DJ. DJing with tracks in smartphones and tablets via Wi-Fi.

- DJing with tracks in smartphones and tablets via Wi-Fi.
- Player and mixer combined, and can also be used as an independent 2-channel mixer.
- Various effects for musical arrangements and mixing with simple controls.
- Automatic mixing of two pieces of music with one-touch controls.
- Slim and stylish design looks good in interior spaces.
- Direct recording to USB storage devices.
- High sound quality design for clear and powerful DJ sound.

rekordbox TM compatible	Wi-Fi connection	High quality digital audio	MIDI control
Soundcard	LOOP	Scratch	REVERSE
2-CHANNEL MIXER	EFFECT	BEAT SYNC	AUTO MIX
USB recording	QUANTIZE	MIC input	

DJ CONTROLLER BAG



Pictured with the DDJ-S1

DJ CONTROLLER BAG

DJC-SC1

A DJ controller bag with the perfect size to fit the DDJ-T1 and DDJ-S1. Protective cushioning prevents damage, whilst the various pockets and adaptive carrying options bring style and functionality.

- DDJ-T1 and DDJ-S1 dedicated soft bag.
- 4-way bag that supports various carrying styles.
- Pocket for laptop.
- Various pockets for DJ accessories and other items.
- Fastening lock hole.

Soft case	Padded lining	4-way bag	Pocket for laptop
Expandable pockets	Fastening lock hole		

DJ CONTROLLER BAG



Pictured with the XDJ-AERO

DJ CONTROLLER BAG

DJC-SC2

DJ system bag for exclusive use of XDJ-AERO/DDJ-ERGO. Extremely easy to carry and features a vertical structure, cushions to protect devices and large pockets.

- Soft bag specifically designed to fit the XDJ-AERO and DDJ-ERGO.
- Vertical structure makes it easy to insert/remove items even in confined spaces.
- Large pockets for spacious storage of DJ items.
- 3-way bag that can be carried in your preferred style.

Soft case	Padded lining	3-way bag	Pocket for laptop
Expandable pockets	Fastening lock hole	Chest strap	

Included with the DDJ-ERGO-V: USB cable (1.5 m) / CD-ROM (Virtual DJ Limited Edition software, driver software, and instruction manual)/Hardware Diagram for Virtual DJ (feature comparison chart)

DDJ-ERGO-K: USB cable (1.5 m) / CD-ROM (TRAKTOR LE2 software, driver software, and operating instructions)

DDJ-WeGO: USB cable (1.5 m) / CD-ROM (Virtual DJ Limited Edition software, driver software, and operating instructions)

*1: Users can use TRAKTOR PRO 2 (ver.2.5.0). See <http://pioneerdj.com/support/> for details. *2: Firmware must be updated to the latest version before using with Serato DJ Intro. Download the latest firmware for free: <http://pioneerdj.com/support/> *3: Firmware must be updated to the latest version before using with djay. Download the latest firmware for free: <http://pioneerdj.com/support/> *4: Firmware must be updated to the latest version before using with Serato CrossDJ or Cross. Download the latest firmware for free: <http://pioneerdj.com/support/> *5: Maximum dimension measurement. *6: A free update to the latest version of “Virtual DJ8 Limited Edition” is scheduled.

■ Laptop not included.

Included with the XDJ-AERO: CD-ROM (Containing rekordbox (Mac/ Windows), the driver software and operating instructions, rekordbox license key), AC adapter, Power cord

■ Smartphone / tablet not included.

REMIX STATION



REMIX STATION



CDJ-2000nexus / DJM-900nexus / RMX-1000

REMIX STATION



RMX-1000
(BLACK)



RMX-1000-W
(PEARL WHITE)

REMIX STATION

RMX-1000

A REMIX STATION that enables the next level of creative DJ performance.

- Free control of musical developments with intuitive operation of various effects
- User customization function provides flexible support for various needs
- VST/AU Plug-in to use effects heard in DJ play into music production

- Included software

24 bit/48 kHz D/A converters	24 bit/48 kHz A/D converters	MIDI IN/OUT	SCENE FX
ISOLATE FX	X-PAD FX	RELEASE FX	Auto beat tracker
QUANTIZE	rekordbox™ compatible	VST/AU Plug-in	SD card slot

Included with the RMX-1000: USB cable (1.5 m) / AC adapter and power plug/CD-ROM (remibox™)/warranty card/instruction manual

1 Free control of musical developments with intuitive operation of various effects

ISOLATE FX

SCENE FX

X-PAD FX

RELEASE FX



ISOLATE FX



The ISOLATE FX section, consisting of three individual knobs, processes the low, mid and high frequency bands of the music passing through. The section is loaded with three effects in addition to an Isolator, providing rhythm patterns, timbre, etc., letting users freely modify the output for the HI/MID/LOW frequency bands. In addition to the Isolator, three additional effects in the section are available including CUT/ADD, TRANS/ROLL and GATE/DRIVE.

[EFFECT]
ISOLATOR , CUT/ADD , TRANS/ROLL , GATE/DRIVE

X-PAD FX



The device features a touchpad section called the X-PAD FX that enables users to develop and add new sounds not found in the original music. In addition to its four built-in effects, KICK, SNARE, CLAP and HI HAT, other sound effects edited in Pioneer's remixbox™ software can be inserted using an SD card (not included) during DJ play.

[EFFECT]
KICK, SNARE, CLAP, HI HAT

SCENE FX



In the SCENE FX section, users can choose between five BUILD UP effects and five BREAK DOWN effects. The BUILD UP effects, consisting of BPF ECHO, ECHO, NOISE, SPIRAL UP and REVERB UP, add sounds, while BREAK DOWN effects, consisting of HPF ECHO, LPF ECHO, CRUSH ECHO, SPIRAL DOWN and REVERB DOWN, cut sounds. A large knob increases or decreases the parameter of effects chosen by simply turning the knob. Two sub-parameters knobs are also available for additional changes to the effects being produced.

[EFFECT]
BUILD UP
BREAK DOWN
BPF ECHO, ECHO, NOISE, SPIRAL UP, REVERB UP
HPF ECHO, LPF ECHO, CRUSH ECHO, SPIRAL DOWN, REVERB DOWN

RELEASE FX



The system also includes a RELEASE FX lever that eliminates the current music playing and leaves only the sound effects. RELEASE FX can also be used to create the opposite effect: When the lever is released, all section effects are eliminated while the original music continues to play. Three types of RELEASE FX are available including VINYL BRAKE, ECHO, and BACK SPIN.

[EFFECT]
VINYL BRAKE, ECHO, BACK SPIN

2 User customization function provides flexible support for various needs


The included remixbox™ software allows the user to customize various settings of the RMX-1000 on a computer, changing parameters such as volume output and values for different sections of the device. The customized settings can then be transferred using an SD card for use with other RMX-1000s.



remibox™ main screen

3 VST/ AU/ RTAS Plug-in to use effects heard in DJ play into music production

Using the included RMX-1000 Plug-in VST/ AU/ RTAS plug-in software, users can create the same type of music production and effects while DJing on a computer. In addition, connecting the device to a computer enables it to act as a controller for music production.



DJ HEADPHONES

DJ headphones with the high quality sound and durability required for clubs

High quality sound design for DJing that produces a clear and powerful sound

Our DJ headphones use a 38 µm thin diaphragm^{*1} with high strength that reliably reproduces lows. A voice coil with the optimal winding width and number of windings that recreates well balanced sound from low to high range and a 50 mm² driver unit with a high force magnet recreate high quality sound so that you can clearly hear the beat of dance music. The ear pads of the HDJ-2000 are made using airtight stitching and excellent damping material, which increase sound insulation and offer clear playback in the middle and upper ranges.



▲ 50 mm driver unit

Perfect fit and lightweight design for extended use

The surfaces of the ear pads and head pads are made of protein leather^{*2} for great feel and flexibility. Low-rebound urethane^{*4} is used on the inside to form to the shape of your head and provide a stable fit. The main unit is made of a magnesium alloy that is both lightweight and durable. These design choices reduce the load on your head and make DJing more enjoyable.



▲ Protein leather on ear pad



▲ Magnesium alloy body

Strong enough for intense performances

The headphone plug and the headphone/cable connector on the HDJ-2000 are highly durable. The HDJ-2000 has a removable cord connected on one side that can be replaced if damaged.



▲ Mini XLR terminal and removable cord

^{*1}: 19 µm on the HDJ-500.
^{*2}: 40 mm driver unit on the HDJ-500.
^{*3}: Used for the HDJ-2000.
^{*4}: Used for the ear pads of the HDJ-2000 and HDJ-1500.
^{*5}: The HDJ-2000 and HDJ-1500 use magnesium alloy.

DJ HEADPHONES



HDJ-2000 (SILVER)

HDJ-2000-K (CHROME BLACK)

HDJ-2000-W (MATTE WHITE)



• HDJ-2000 silver model won the iF Product Design Award 2010.

PROFESSIONAL DJ HEADPHONES

HDJ-2000

High quality sound, fit, and durability required by top DJs. Our flagship model of professional DJ headphones that reached the ultimate level.

- Designed for the high quality sound required by DJs.
- Perfect fit and lightweight for extended DJing.
- Strong enough for intense performances of professional DJs.
- All new i-type hinge construction combines functionality with an attractive design.

- Encapsulated dynamic
- ø3.5mm stereo mini plug
- ø6.3mm stereo plug adapter included
- 1.2m coiled cord on one side
- Folding design
- Swivel construction
- Click construction
- MONO/STEREO switch
- Carrying pouch included
- Replaceable cable

DJ HEADPHONES



HDJ-1500-S (DEEP SILVER)

HDJ-1500-K (CHROME BLACK)

HDJ-1500-W (MATTE WHITE)

PROFESSIONAL DJ HEADPHONES

HDJ-1500

Experience deep bass and clear midrange to instantly feel the beat.

A durable design with ground-breaking soundproofing components and light materials. New professional DJ headphones.

- Superb sound quality design that reproduces deep bass and clear beats.
- Groundbreaking soundproofing component for easy track monitoring even on heaving dance floors.
- Durable design and light materials for intense professional use.
- Supreme comfort even during prolonged use through the use of low-resilience urethane.

- Encapsulated dynamic
- ø3.5mm stereo mini plug
- ø6.3mm stereo plug adapter included
- 1.2m coiled cord on one side
- Folding design
- Swivel construction
- Click construction
- Carrying pouch included
- Replaceable cable

DJ HEADPHONES



HDJ-500-R (RED)

HDJ-500-G (GREEN)

HDJ-500-V (VIOLET)

HDJ-500-K (BLACK)

HDJ-500-W (WHITE)



HDJ-500T-K (BLACK)



Microphone and phone button

DJ HEADPHONES

HDJ-500

A clear rich sound so you never miss a beat. Our DJ headphones adapt to various monitoring styles.

- Clearly reproduces the midrange, including the kick and snare sounds that are essential for mixing.
- Adapts to various DJ monitoring styles.
- Employs a replaceable single-sided cord that gives DJs freedom of movement.

- Encapsulated dynamic
- ø3.5mm stereo mini plug
- ø6.3mm stereo plug adapter included
- 1.2m coiled cord on one side
- Arm rotating construction
- Replaceable cable
- 1m straight cord
- 1m straight mic cord

DJ HEADPHONES

HDJ-500T

- Clearly reproduces the midrange, including the kick and snare sounds that are essential for mixing.
- Adapts to various DJ monitoring styles.
- Comes with a single-sided straight cord with a microphone and phone button for hands-free calling, even when listening to music on your mobile phone

- Encapsulated dynamic
- ø3.5mm stereo mini plug
- ø6.3mm stereo plug adapter included
- 1.2m coiled cord on one side
- Arm rotating construction
- Replaceable cable
- 1m straight cord
- 1m straight mic cord

DJ HEADPHONE CASE



Thin headphone case

HDJ-HC01

DJ HEADPHONE CABLE



Cable for HDJ-2000

HDJ-CA01

One 1.2 m coiled cord (Maximum extension: approximately 3 m)
* ø6.3 mm stereo plug adapter not included

EAR PAD



Ear pads for HDJ-2000

HDJ-EP01

One pair

ACTIVE REFERENCE SPEAKERS

High quality sound vesatile enough for DJing to music creation

Active reference speakers to stimulate your senses

High quality sound design that delivers clear sound over a wide range

These active reference speakers are equipped with a high force magnet and bi-amp circuit to offer a high quality sound that is clear and dynamic. The chimney-shaped heat sink and optimized flared duct effectively prevent noise. In addition, the waveguide shape of the tweeter and the sound axis control guarantee a wide sweet spot. The result is balanced high quality playback from any position.



▲High force magnet



▲Cross-sectional diagram of flared duct



▲Chimney-shaped heat sink

A controller that brings easy manipulation of various settings to your fingertips

The included controller allows you to simultaneously control the volume and power of the speakers. It also gives you the ability to mute the speakers, switch the equalizer on or off, and switch the audio inputs by hand. These speakers can be readily used for listening, music creation, and various other applications.



▲Controller

A linear equalizer to adjust the sound quality to suit your musical activities

The linear equalizer function provides stepless adjustment of frequency characteristics (high/low). You can make fine adjustments to match your preferences in order to get the sound you want while DJing, creating music, or listening to music. The speaker has four input terminals and a switching function so you can switch between a PC, DJ equipment, and other devices without changing cable connections.



▲Rear panel

REFERENCE GRADE CABLE

Reference grade cables that maximize the sound quality of dance music

Noiseless cable construction that achieves a powerful sound field with presence

• Uses 6N-Cu (99.9999%) as the conductor to eliminate audio signal transmission resistance and achieve a clear sound quality.

RCA analog

• Employs 4-core twisted wire to minimize influence of noise even for long-length balanced transmission.


XLR

• A high-shielding factor braided shield is used to suppress noise caused by electrification and static electricity. In addition, a cable net protects against damage to the outer insulator while simultaneously decreasing noise induced by other adjacent cables. The cables feature also a high pliability cable construction to add convenience and reduce stress on the connector of devices.


RCA analog

RCA digital

XLR



▲RCA analog cable cross-section diagram



▲XLR cable cross-section diagram

Plug construction that thoroughly reduce transmission loss

The RCA cables use collet chucks to tighten and lock the plug to connector terminals. The connecting area with the terminal is thus enlarged and vibrations are restrained, making it possible to thoroughly reduce audio signal transmission loss. The XLR cables use Neutrik XLR plugs well-known for their durability. By meticulously improving quality of each part of the cable construction, superior sound quality has been achieved for audio transmission.



▲Collet chuck plug

Hand crafted to maximize the quality of materials

Parts are soldered quickly by fully utilizing workers' skills and tools meticulously selected. Until the melting temperature is reached, the well-known oxidation reaction and stress to the adjacent parts are thoroughly eliminated. The cables are assembled carefully one by one by expert craftsmen to get the best of material qualities.



▲Hand-made cable

ACTIVE REFERENCE SPEAKER



ACTIVE REFERENCE SPEAKER FOR DJ/PRODUCER

S-DJ08

8 inch

[2 speakers per 1 set, controller included]

High sound quality suited for activities from music production to DJ play.

Active reference speakers for DJs/producers, equipped with a controller that can perform 4 channel input switching, and EQ on and off switching.

- Uses a variety of technologies to achieve high audio quality and a wide sweet spot.
- Convenient remote operation is possible using the included controller for various speaker settings.
- Equipped with LINEAR EQ function enabling audio quality adjustments to suit a variety of music activities.
- Equipped with 4 channel switching functionality for listening to music from several devices with one set of speakers.

8 inch speakers	Bi-amp	Bass reflex	2.5cm soft dome tweeters
Anti magnetic design	XLR input, 1 channel	TRS input, 1 channel	RCA inputs, 2 channels
Controller included	MUTE	LINEAR EQ	Mounting fixture compatible ^{*)}

ACTIVE REFERENCE SPEAKER



S-DJ05 (BLACK)

S-DJ05-W (WHITE)

ACTIVE REFERENCE SPEAKER FOR DJ/PRODUCER

S-DJ05

5 inch

[2 speakers per 1 set, controller included]

High sound quality suited for activities from music production to DJ play.

Active reference speakers for DJs/producers, equipped with a controller that can perform 4 channel input switching, and EQ on and off switching.

- Uses a variety of technologies to achieve high audio quality and a wide sweet spot.
- Convenient remote operation is possible using the included controller for various speaker settings.
- Equipped with LINEAR EQ function enabling audio quality adjustments to suit a variety of music activities.
- Equipped with 4 channel switching functionality for listening to music from several devices with one set of speakers.

5 inch speakers	Bi-amp	Bass reflex	2.5cm soft dome tweeters
Anti magnetic design	XLR input, 1 channel	TRS input, 1 channel	RCA inputs, 2 channels
Controller included	MUTE	LINEAR EQ	Mounting fixture compatible ^{*)}

RCA ANALOG CABLE



RCA ANALOG CABLE

DAS-RCA020R

High quality construction designed to suppress interference and eliminate resistance for optimum audio transmission.

- Noiseless cable construction that achieves clear sound quality and a strong sound field.
 - Eliminates audio signal transmission resistance using 6N-Cu as the conductor.
 - Uses neoprene rubber for the outer insulator and employs a 6N-CU braided shield and a cable net to thoroughly suppress noise.
 - High pliability cable construction to add convenience and reduce stress on the connector of devices.
- Superior durability and usability plug construction.

6N-Cu, 1 wire shielded	Neoprene rubber (outer sheath)	Fine braided shield	Cable net	Collet chuck RCA plug
brass + Black nickel plate(outer)	Made in Japan			

RCA DIGITAL CABLE



RCA DIGITAL CABLE

DAS-DGC020R

Noiseless cable construction maximizes high quality digital audio. Superior sound and durability.

- Noiseless cable construction that achieves clear sound quality and a strong sound field.
 - High shielding factor braided shield is used to suppress noise caused by electrification and static electricity.
 - A cable net protects against damage to the outer insulator while simultaneously decreasing noise induced by other adjacent cables.
 - High pliability cable construction to add convenience and reduce stress on the connector of devices.
- Superior durability and usability plug construction.

Annealed copper wire, 1 wire shielded	Neoprene rubber (outer sheath)	Bbraided shield	Cable net	Collet chuck RCA plug
brass + Black nickel plate(outer)	Made in Japan			

XLR CABLE





XLR CABLE







DAS-XLR030R

Audio transmission technology designed to give a powerful sound field with presence. Engineered for durability.

- Noiseless cable construction that achieves clear sound quality and a strong sound field.
 - Uses 4-core twisted wire to suppress noise even with long-length transmission.
 - Employs a high shielding factor braided shield and a cable net to thoroughly suppress noise.
 - High pliability cable construction to add convenience and reduce stress on the connector of devices.
- Superior durability and usability plug construction.

Annealed copper twisted wire, 4-core twisted wire shield	Neoprene rubber (outer sheath)	Bbraided shield	Cable net	Neutrik XLR plugs
zinc alloy + Black nickel plate(outer)	Made in Japan			











MULTI PLAYER										
				CDJ-2000 nexus	CDJ-900	MEP-7000	MEP-4000	CDJ-850	CDJ-350	
Supported media file	iPhone / iPad / iPod touch	MP3/AAC			-	-	-	-	-	-
	Android smartphone/ Android tablet	MP3/AAC/WAV/AIFF			-	-	-	-	-	-
	USB Storage Device	MP3/AAC/WAV/AIFF			-	-	-	-	-	-
		AAC/AIFF			-	-	-	-	-	-
	SD Card	MP3/AAC/WAV/AIFF			-	-	-	-	-	-
	CD/CD-R/CD-RW ¹	Music CD Format			-	-	-	-	-	-
		MP3			-	-	-	-	-	-
		AAC			-	-	-	-	-	-
		WAV/AIFF			-	-	-	●/-	-	-
	CD-TEXT				-	-	-	-	-	-
CD-G Format (Graphic Output)			-	-	-	-	-	-	-	
DVD-R/DVD-RW ¹	MP3		-	-	-	-	-	-	-	
	AAC		-	-	-	-	-	-	-	
	WAV/AIFF		-	-	-	-	-	-	-	
DVD+R/DVD+RW ¹	MP3/AAC		-	-	-	-	-	-	-	
	WAV/AIFF		-	-	-	-	-	-	-	
Computer	MIDI Control			-	-	-	-	●	-	●
	HID Control			-	-	-	-	-	-	-
	Supported Software ²	TRAKTOR series		-	-	-	-	● ³	-	● ³
		Scratch LIVE™		-	-	-	-	-	-	-
		VIRTUAL DJ PRO		-	-	-	-	-	-	-
	DJS		-	-	-	-	-	-	-	
rekordbox™Support	rekordbox™Support			-	-	-	-	-	-	-
	USB Sound Card			-	-	-	-	-	-	-
	USB Export			-	-	-	-	-	-	-
	SD Export			-	-	-	-	-	-	-
	rekordbox™ (Mac/Windows) LINK Export			-	-	-	-	-	-	-
Export	rekordbox™ (Mobile device) LINK Export			-	-	-	-	-	-	-
	LAN Support (PRO DJ LINK)			-	-	-	-	-	-	-
	Device			-	-	-	-	-	-	-
	Text display (Title Lines)			-	-	-	-	-	-	-
	Jacket Display ³			-	-	-	-	-	-	-
Display	List Artwork ³			-	-	-	-	-	-	-
	BPM display	Auto BPM counter		-	-	-	-	-	-	-
		First decimal display		-	-	-	-	-	-	-
	Beat Display			-	-	-	-	-	-	-
	Playing Address			-	-	-	-	-	-	-
Jog	WAVE DISPLAY (Dot Number)			-	-	-	-	-	-	-
	WAVE ZOOM ³			-	-	-	-	-	-	-
	CUE/LOOP Memory Point			-	-	-	-	-	-	-
	MAIN CUE Point			-	-	-	-	-	-	-
	HOT CUE Point			-	-	-	-	-	-	-
	PHASE METER			-	-	-	-	-	-	-
	BEAT COUNT			-	-	-	-	-	-	-
	JUMP Function (Page Jump/Alphabet Jump ³)			-	-	-	-	-	-	-
	KEYWORD SEARCH ³			-	-	-	-	-	-	-
	TAG LIST ³			-	-	-	-	-	-	-
Browse	PLAY LIST Creation			-	-	-	-	-	-	-
	HISTORY (Play History) Memory ³			-	-	-	-	-	-	-
	TRAFFIC LIGHT ³			-	-	-	-	-	-	-
	LOAD PREVIOUS TRACK ³			-	-	-	-	-	-	-
	SUPER FAST TRACK SEARCH			-	-	-	-	-	-	-
Search	NEEDLE SEARCH			-	-	-	-	-	-	-
	Jog size (Maximum dimension measurement)			-	-	-	-	-	-	-
	STATUS INFORMATION (Ring Illumination)			-	-	-	-	-	-	-
	JOG FEELING ADJUST			-	-	-	-	-	-	-
	VINYL mode / CDJ mode			-	-	-	-	-	-	-
Jog	Touch sensor			-	-	-	-	-	-	-
	VINYL SPEED ADJUST (Touch & Release)			-	-	-	-	-	-	-
	Scratch, Spin			-	-	-	-	-	-	-
	ON JOG DISPLAY			-	-	-	-	-	-	-
	MASTER TEMPO			-	-	-	-	-	-	-
Tempo	TEMPO CONTROL			-	-	-	-	-	-	-
		Tempo range	Music CD format	-	-	-	-	-	-	-
			MP3	-	-	-	-	-	-	-
			AAC/WAV/AIFF	-	-	-	-	-	-	-
		Minimum tempo step		-	-	-	-	-	-	-
MIX	TEMPO RESET			-	-	-	-	-	-	-
	Pitch Bend			-	-	-	-	-	-	-
	BEAT SYNC ³			-	-	-	-	-	-	-
	BPM LOCK			-	-	-	-	-	-	-
	AUTO MIX/ Relay play			-	-	-	-	-	-	-
Performance	FADER START & BACK CUE			-	-	-	-	-	-	-
	LOOP			-	-	-	-	-	-	-
		LOOP		-	-	-	-	-	-	-
		LOOP OUT ADJUST / LOOP IN ADJUST		-	-	-	-	-	-	-
		AUTO BEAT LOOP		-	-	-	-	-	-	-
		4-BEAT LOOP		-	-	-	-	-	-	-
		ACTIVE LOOP		-	-	-	-	-	-	-
		EMERGENCY LOOP		-	-	-	-	-	-	-
	Function Available During Loop			-	-	-	-	-	-	-
		LOOP CUTTER		-	-	-	-	-	-	-
	HOT LOOP		-	-	-	-	-	-	-	
	LOOP DIVIDE		-	-	-	-	-	-	-	
Reverse	REVERSE			-	-	-	-	-	-	-
	HOT CUE			-	-	-	-	-	-	-
		HOT CUE, HOT LOOP(A/B/C)		-	-	-	-	-	-	-
		TRACK HOT CUE		-	-	-	-	-	-	-
		HOT CUE BANK		-	-	-	-	-	-	-
Cue Memory		HOT CUE AUTO LOAD		-	-	-	-	-	-	-
	DIGITAL JOG BREAK, SCRATCH JOG EFFECT			-	-	-	-	-	-	-
	QUANTIZE ³			-	-	-	-	-	-	-
	0.5 FRAME STEP			-	-	-	-	-	-	-
	SLIP MODE			-	-	-	-	-	-	-
Cue Memory	CUE POINT Setting, BACK CUE, AUTO CUE, CUE SAMPLER			-	-	-	-	-	-	-
	CUE/LOOP MEMORY			-	-	-	-	-	-	-
	Internal Memory	Storable number of discs		-	-	-	-	-	-	-
	External Memory	SD Card / Storable number of discs (CD) ⁷		-	-	-	-	-	-	-
		USB Storage Device		-	-	-	-	-	-	-
Digital Audio Output	Digital Audio Output			-	-	-	-	-	-	-
	External Monitor Output ³			-	-	-	-	-	-	-
	EJECT			-	-	-	-	-	-	-
		EJECT LOCK / UNLOCK		-	-	-	-	-	-	-
		RESUME PLAY		-	-	-	-	-	-	-
Other	LOAD LOCK			-	-	-	-	-	-	-
	AUTO STANDBY			-	-	-	-	-	-	-
	Vibration Resistant Design (Shock-proof Memory, Floating Mechanism)			-	-	-	-	-	-	-
	My Settings			-	-	-	-	-	-	-
	RATING ON-THE-GO ³			-	-	-	-	-	-	-
Main Specifications	Power Supply			-	-	-	-	-	-	-
	Power Consumption			-	-	-	-	-	-	-
	External Dimensions (WxDxH)			-	-	-	-	-	-	-
	Weight			-	-	-	-	-	-	-
				-	-	-	-	-	-	-






¹: Only finalized disc can be played back. Some discs may not be played back depending on the recorder and disc characteristics.

²: For more information about the compatibility of software versions with the different models, visit the relevant DJ software maker website. ³: The TRAKTOR PRO 2 or TRAKTOR PRO mapping file can be downloaded at <http://pioneerdj.com/support/>


⁴: Commercially available wireless LAN router separately required for Wi-Fi connection. ⁵: Except discs ⁶: Auto Beat Loop not using the Quantized Beat Loop function is also available.

⁷: When using SD cards of 512 MB. ⁸: With CD-G and monitor out only. DVD video cannot be output.

DJ MIXER												
		DJM-2000nexus	DJM-900nexus	DJM-T1	DJM-700	DJM-5000	DJM-4000	DJM-850	DJM-400	DJM-350	DJM-250	
Fader	FADER FEELING ADJUST/ FADER CUT LAG	Adjusts the crossfader curve	-	-	●	-	-	-	-	-	-	
	Crossfader Curve Switch	Adjusts the channel fader curve	● (3 STEP)	● (3 STEP)	●	● (2 STEP)	● (3 STEP)	● (3 STEP)	● (3 STEP)	● (2 STEP)	● (2 STEP)	
	Channel Fader Curve Switch	Reverse the operating direction of the fader	● (2 STEP)	● (3 STEP)	-	● (3 STEP)	-	● (3 STEP)	-	-	-	
	FADER REVERSE	Performs quick start and back cue when connected to Pioneer CDJ	-	-	●	-	-	-	-	-	-	
FADER START & BACK CUE CONTROL		Switches the microphone ON/OFF	●	●	-	●	-	●	●	●	●	
MIC	MIC Input Switch	Allows you to lower the voice band level only for sound other than microphone sound	●	●	●	●	●	●	●	●	●	
	TALK OVER	Only the voice band of the channels other than the microphone are attenuated	●	●	●	●	●	●	●	-	-	
	ADVANCED TALK OVER	Adjusts the attenuation level of a track sound during TALK OVER	-	-	-	●	-	●	-	-	-	
	TALK OVER LEVEL CONTROL	Adjusts the microphone's equalizer	●	●	-	-	●	●	-	-	-	
MIC EQ	Applies various effects to the microphone sound	2(HI, LOW)	2(HI, LOW)	2(HI, LOW)	2(HI, LOW)	3(HI, MID, LOW)	3(HI, MID, LOW)	2(HI, LOW)	1	2(HI, LOW)	2(HI, LOW)	
MIC EFFECT		Displays various information and enables simple operation	-	-	-	● (4types)	-	-	-	-	-	
Performance	Touch Panel	Applies various effects while matching the BPM	● (MIX & REMIX)	-	-	-	-	-	-	-	-	
	BEAT EFFECT	Adjusts the crossfader feeling (weight) and the play at both ends	● (11types)	● (13types)	-	● (13types)	-	● (13types)	● (7types)	-	-	
	MANUAL EFFECT	Matches automatically the effect start point to the nearest beat position	INST FX (6types)	SOUND COLOR FX (6types)	-	MANUAL FILTER (1types)	-	BEAT COLOR FX(4types) SOUND COLOR FX(4types)	-	MASTER EFFECT (4types)	SOUND COLOR FILTER(1types)	
	QUANTIZE ¹	Adjusts the BEAT EFFECT parameters	●	●	-	-	-	-	-	-	-	
	X-PAD	Calculates automatically and displays the track BPM	-	●	-	-	-	-	-	-	-	
	AUTO BPM COUNTER	Set the BPM in real time by tapping it with your finger	●	●	-	-	-	-	●	●	-	
	TAP Button	Samples automatically 4 beats of a track and plays the sample in loop	●	●	-	●	-	-	●	●	-	
	IN-LOOP SAMPLER	Plays a sampled voice from a connected CDJ	-	-	-	-	-	-	-	●	-	
LIVE SAMPLER	Imports JPEG to use during performance	● ²	-	-	-	-	-	-	-	-		
ADVANCED SHIFT		Applies effects manually	-	●	-	-	-	-	-	-	-	
PC	USB Soundcard ³	Number of input/output	STEREO 4IN or 3IN 1OUT	STEREO 4IN 4OUT	STEREO 3IN 3OUT	-	STEREO 3IN	STEREO 1IN/1OUT	STEREO 4IN 4OUT	-	-	
		Sampling rate	48/44.1kHz	96/48/44.1kHz	48kHz	-	48/44.1kHz	48kHz	96/48/44.1kHz	-	-	
	MIDI Control	Bit depth	16/24bit	16/24bit	24bit	-	16/24bit	16bit	16/24bit	-	-	
		Usable as an all-purpose MIDI controller	●	●	●	●	●	●	●	●	●	●
	MIDI Interface	Built-in MIDI output interface	●	-	●	-	●	●	-	-	-	
	DVS Compatible	Usable as a DVS system when connected with compatible software	-	● ⁴	● ⁴	-	-	-	● ⁵	-	-	
	Bundled Software		-	-	TRAKTOR SCRATCH DUO 2	-	-	-	-	-	-	
	TRAKTOR SCRATCH CONTROL CD/CONTROL VINYL included		-	-	●	-	-	-	-	-	-	
	Plug and play		-	-	●	-	-	-	-	-	-	
	TRAKTOR 2 dedicated controller functions	BROWSE SECTION, TRANSPORT SECTION	-	-	●	-	-	-	-	-	-	
		EFFECT CONTROL SECTION	-	-	●	-	-	-	-	-	-	
	CROSS FADER CONTROL	HOT CUE/ SAMPLER	-	-	●	-	-	-	-	-	-	
		Links crossfader operation to TRAKTOR 2 HOT CUE and SAMPLER playback start.	-	-	-	-	-	-	-	-	-	
	AUTO LOOP		-	-	●	-	-	-	-	-	-	
LFO CONTROL		Outputs MIDI/HDM signal periodically changing on each beat	-	● (MIDI)	● (MIDI/HID ⁶)	-	-	-	-	-	-	
Configuration utility ⁷		Audio output points from USB terminal to computer can be changed	-	●	●	-	-	●	-	-	-	
Other Functions	TRIM CONTROLL	Adjusts the track input level	●	●	●	●	●	●	●	●	●	
	3-BAND EQ	Adjusts the sounds of instruments in each channel	● (EQ/ISOLATOR switching)	● (EQ/ISOLATOR switching)	● (ISOLATOR)	●	●	●	● (EQ/ISOLATOR switching)	● (ISOLATOR)	● (ISOLATOR)	
	Channel & Master Level Meter	Displays the peak level effective for volume adjustment in each channel	●	●	-	●	●	●	●	●	●	
	MASTER BALANCE CONTROL	Adjusts the right/left balance of the master output	●	●	-	●	●	●	●	-	-	
	SOUND MAXIMIZER	Adjusts the sound quality of the master output	-	-	-	-	●	-	-	-	-	
	PEAK LIMITER	Tracks from the master output are played with minimal distortion, even at extremely high sound output levels	-	-	-	-	-	-	-	-	-	
	BOOTH MONITOR CONTROLL	Adjusts the level of the booth monitor output	●	●	●	●	●	●	-	-	-	
	HEADPHONE MONITOR	Adjusts the balance between the master output and headphones CUE output	●	●	●	●	●	●	●	●	●	
	USB Recording	Saves the master output to USB memory	-	-	-	-	-	-	-	●	-	
	High performance channel faders	The slide mechanism supports the fader knobs with two metal shafts to enable smooth operability without looseness	●	●	-	-	-	-	-	-	-	
	P-LOCK FADER CAP	Lock mechanism to prevent the fader knobs from slipping	●	●	●	-	-	-	●	-	●	
	AUTO STANDBY	Switches to standby mode when there are no operations/input after a certain period of time.	●	●	●	-	-	-	-	-	●	
Cord hook	Built-in hook prevents USB cable disconnection	-	-	●	-	-	-	-	-	-		
Rack mount ears	Rack mount ears for installation into a DJ table or DJ rack	-	-	-	-	●	-	-	-	-	●	
Input and Output Terminals/Other Terminals	Channel	4	4	2	4	4	4	4	2	2	2	
	CD/LINE Input	6(RCA)	6(RCA)	2(RCA)	5(RCA)	6(RCA)	6(RCA)	6(RCA)	4(RCA) ⁸	2(RCA)	4(RCA) ⁸	
	PHONO Input	2(RCA)	2(RCA)	2(RCA)	3(RCA)	-	2(RCA) ⁸	2(RCA)	2(RCA) ⁸	2(RCA)	2(RCA) ⁸	
	Digital Input	4(COAXIAL)	4(COAXIAL)	-	-	2(COAXIAL)	-	-	-	-	-	
	MIC Input	1(XLR/PHONE)	2(XLR/PHONE×1, PHONE×1)	1(XLR/PHONE)	2(XLR×1,PHONE×1)	3(XLR/PHONE×1, XLR×1,PHONE×1)	2(XLR/PHONE×2)	2(XLR/PHONE×1, PHONE×1)	2(PHONE) ⁹	1(PHONE)	1(PHONE)	
	Session/AUX Input	-	-	1(RCA)	-	-	-	-	1(PHONE) ⁹	1(RCA)	3(1/8" 5mm stereo mini jack×1, RCA×2)	
	Master Output	2(XLR×1, RCA×1)	2(XLR×1, RCA×1)	2(XLR×1, RCA×1)	2(XLR×1, RCA×1)	2(XLR×1, RCA×1)	2(XLR×1, RCA×1)	-	2(RCA)	2(RCA)	2(XLR×1, RCA×1)	
	MASTER ATT	Sets the volume attenuation level of the MASTER audio output.	-6dB,-3dB,0dB	-6dB,-3dB,0dB	-6dB,0dB	-6dB,-3dB,0dB	-12dB,-6dB,0dB	-	-6dB,-3dB,0dB	-	-	-
	Low cut	The low sound in the frequency band that cannot be reproduced by the speakers is cut from the sound output.	-	-	-	-	-	●	-	-	-	
	Zone Output	-	-	-	-	1(XLR)	1(TRS PHONE)	-	-	-	-	
	Booth Monitor Output	1(TRS PHONE)	1(TRS PHONE)	1(TRS PHONE)	1(RCA)	1(TRS PHONE)	1(TRS PHONE)	1(TRS PHONE)	-	-	-	
	REC Output	1(RCA)	1(RCA)	-	1(RCA)	1(RCA)	1(RCA)	1(RCA)	-	-	-	
	Digital Output	1(COAXIAL)	1(COAXIAL)	-	1(COAXIAL)	-	-	1(COAXIAL)	-	-	-	
	Composite Output	-	-	-	-	-	-	-	-	-	-	
	MIDI OUT	● (DIN/USB)	● (DIN/USB)	● (USB)	● (DIN)	● (USB)	-	● (DIN/USB)	-	-	-	
	Main Specifications	SEND/RETURN (External Effector)	1	1	-	1	1	1	1	-	-	-
Fader Start Control Output		6(4LAN,2MINI PHONE)	1(LAN)	-	2	2	-	4	2	2	2	
DIGITAL, CD/LINE Switch		4	-	-	-	-	-	-	-	-	-	
PHONO, LINE Switch		-	-	-	-	-	2	-	2	-	2	
LAN terminal (PRO DJ LINK)		6	1 ¹⁰	-	-	-	-	-	-	-	-	
Power Supply	AC100V (50Hz/60Hz)	AC100V (50Hz/60Hz)	AC100V (50Hz/60Hz)	AC100V (50Hz/60Hz)	AC100V (50Hz/60Hz)	AC100V (50Hz/60Hz)	AC100V (50Hz/60Hz)	AC100V (50Hz/60Hz)	AC100V (50Hz/60Hz)	AC100V (50Hz/60Hz)	AC100V (50Hz/60Hz)	
Power Consumption	40W	42W	23W	27W	29W	13W	30W	10W	18W	7W		
External Dimensions (W×D×H)	430×404×107.9 mm	331×409×108 mm	265×403×108 mm	320×378×107.9 mm	482×6225.1×107.8 mm	482×6107.7×182.7 mm	320×304.7×108 mm	223×304.7×106.6 mm	218×301.1×106.6 mm	240×300.2×107.7 mm		
Weight	8.6kg	7.1kg	6.1kg	6.6kg	6.9kg	3.9kg	7.7kg	3.2kg	3.2kg	3.1kg		




DJ CONTROLLER							
Computer	Included software		Serato DJ	Serato ITCH 2.0 ^{*1}	TRAKTOR PIONEER DDJ-T1 EDITION 2 ^{*2}	DDJ-ERGO-V: Virtual DJ Limited Edition DDJ-ERGO-K: TRAKTOR LE 2	Virtual DJ Limited Edition
	MIDI Control/ HID Control		●/-	●/●	●/●	●/-	●/-
	Supported Software ^{*3}	TRAKTOR PIONEER DDJ-T1 EDITION 2/TRAKTOR 2 Serato DJ/Serato ITCH 2.2/Serato DJ Intro VIRTUAL DJ PRO djay/ djay LE CrossDJ, Cross	●/-	●-●/-	-	-/-●	-
Browse	LAPTOP Dock	The keyboard of a laptop can be inserted under the controller	-	-	●	●	-
	Built-in Sound Card	Sound output is possible without connecting to an external sound card	●	●	●	●	●
	Plug and Play	The bundled software can be operated without extra settings	●	●	●	● ^{*6}	●
Deck Selection	Deck		4 (2-deck switching)	2	4 (2-deck switching)	4 (2-deck switching) ^{*7}	4 (2-deck switching) ^{*7}
	Rotary Selector	Move the cursor on the PC screen by turning the rotary selector	●	●	●	●	●
	LOAD Button	Loads the music file selected with the cursor	●	●	●	●	●
Jog/Tempo	LOAD PREPARE Button	Loads the track to the panel	●	●	-	-	-
	Playing Address	The progression of the track being played back is displayed as a bar graph	-	-	-	-	-
	LAUNCH PULSE	Light animation displays when a track has loaded.	-	-	-	● ^{*8}	●
Player	PANEL SELEC Button	REC/ FX/ SP6 panel display selection	●	-	-	-	-
	NEEDLE SEARCH pad	NEEDLE SEARCH ALPHABET SEARCH	●	●	●	-	-
	Jog Size (Maximum dimension measurement)	Search music files by alphabet letters	-	-	-	-	-
Performance	Ring Illumination	Play back from the position touched on the pad	149mm	132mm	132mm	132mm	110mm
	Jog Mode Switching Button	Play back status is displayed using jog illumination	●	●	-	● ^{*9}	●
	Scratch, Spin	The lighting pattern of the ring illumination can be changed	●	●	-	● ^{*9}	●
Other	VINYL SPEED ADJUST (Touch & Release)	Switches between jog modes	● (VINYL mode ON/OFF)	● (VINYL mode ON/OFF)	-	● (VINYL mode ON/OFF)	-
	TEMPO slider	Scratch and spin can be performed with the jog	●	●	●	●	●
	KEY LOCK Button, MASTER TEMPO Button	Speed is adjustable from playback stop to playback start	-	-	-	-	-
Main Specifications	TEMPO RANGE Button	The speed of tracks can be adjusted	● (KEY LOCK Button)	● (MASTER TEMPO button)	● (KEY LOCK Button)	● (KEY LOCK Button)	-
	Pitch Bend	The pitch does not change even when the playing speed is changed	● ±8%/±16%/±50%	● (±6%/±10%/±16%/±100%)	● (±6%/±10%/±16%/±100%)	● (±6%/±10%/±16%/±100%) ^{*10}	-
	GRID ADJUST Button	The tempo slider's range of variation can be switched	● (Jog)	● (Jog)	● (Jog)	● (Jog)	● (Jog)
Mixer	GRID SLIDE Button	The tempo is changed according to the rotation direction and speed of the job	●	●	●	●	●
	CENSOR Button	The beat grid interval can be adjusted with the jog	●	-	-	-	-
	LOOP	Slide entire beat grids left or right using the jog	●	-	-	-	-
Performance	LOOP IN Button/LOOP OUT Button	Tracks play in reverse when this is pressed	●	●	●	●	-
	AUTO LOOP Button	Loop in and loop out positions can be set and fine adjusted	●	●	●	●	-
	AUTO LOOP Knob	Turns on/ off AUTO LOOP	●	-	-	●	●
Other	LOOP SELECT Button	Modifies the loop length	●	-	-	●	●
	ACTIVE Button	Recalls a loop saved in the loop bank	●	-	-	●	-
	RELOOP/EXIT Button	Activates or deactivates a loop	●	-	-	●	-
Mixer	REV Button	Replays or exits a loop	●	●	-	-	-
	SLIP Button	Changes the playback direction	●	●	-	-	-
	HOT CUE Button	Turns on/off the SLIP mode	●	●	-	-	-
Performance	ROLL Button	Recalls a HOT CUE setting	● ^{*11}	-	●	●	●
	SLICER Button	ROLL mode settings	●	-	-	-	-
	SAMPLER Button	SLIP mode settings	●	-	-	-	-
Other	PERFORMANCE PADS	SAMPLER mode settings	●	-	-	-	●
	FILTER Knob, FILTER ON/OFF Button	Control functions such as HOT CUE/ ROLL/ SLICER/ SAMPLER	● (8 pads on each deck)	-	-	-	-
	DECK Button	Operates the filter function	● (FILTER Knob)	-	●	● (FILTER Knob only)	●
Mixer	DUAL DECK Button	Switches the operating deck	●	-	●	●	●
	CUE Button	Turns on/ off DUAL DECK mode	●	-	-	-	-
	Mix external inputs	Sets a cue point, or performs back cue and cue point sampler	●	-	-	-	-
Performance	SYNC Button/MASTER Button	Allows external inputs such as TT to be mixed	●	-	-	-	-
	MIX PULSE	Used to perform synchronization	●/-	●/-	●/●	●/(Using SHIFT)	●/(Using SHIFT)
	Fader	Shows the level of synchronization with the beat of the mixed track using light intensity	-	-	-	-	-
Other	Crossfader Curve Switch/ Knob	Switches the characteristics of the crossfader curve	-/●	●/-	-/-	-/-	-/-
	FADER START Switch	Switches the fader start function on/off	●	●	●	●	●
	C.F. REV Switch	Switches the decks assigned to the crossfader right and left	●	●	-	-	-
Mixer	BEAT PULSE	The faders have built-in LEDs. The light changes corresponding to the beat and channel level.	-	-	-	-	-
	EFFECT	Switches the SINGLE mode and MULTI mode	-	-	● ^{*14}	-	-
	EFFECT ASSIGN Button	Switches the effect type	●	● (Knob)	● (Knob)	● (Knob) ^{*15}	-
Performance	FX CH SELECT Knob	Assigns effects to each deck	●	●	●	●	●
	DRY/WET Knob, LEVEL/DEPTH Knob	Selects the channel to apply the effect	-	●	-	-	-
	EFFECT CONTROL Knob, PARAMETER Knob	Adjusts the balance between the effect sound and the original sound	●	●	●	●	●
Other	JOG FX	Adjusts the effect parameters	●	●	●	●	●
	FX PULSE	Controls the effect using JOG dial	-	-	-	-	-
	SAMPLER	The illumination changes corresponding to the effect/FILTER.	● ^{*16}	-	-	● ^{*8}	●
Mixer	SAMPLER Button	Controls sampler playback and pause	●	-	-	● ^{*6}	● (switches Hot Cue)
	SAMPLER VOL	Controls the sampler volume level	●	-	-	● ^{*6}	-
	MIC ON/OFF/TALK OVER Switch	Switches the microphone ON/OFF/TALK OVER	●	● (switches MIC/PC/CDD)	● (switches MIC2/AUX)	●	-
Performance	MIC/AUX Switch	Switches between MIC and AUX	●	●	●	●	●
	MIC VOL Knob	Adjusts the microphone volume	●	●	●	●	●
	MIC EQ Knob (HI, MID, LOW)	Modifies the microphone input for each frequency	●	●	●	●	●
Other	MIC/AUX THRU Switch	Outputs the MIC/AUX sound directly without going through a PC	●	●	●	●	●
	VIDEO	Adjusts the effect level of the video effect	-	-	-	● ^{*15}	-
	VIDEO EFFECT control	Turns ON and OFF the video effect	-	-	-	● ^{*15}	-
Mixer	VIDEO EFFECT ON/OFF	Turns the video switch ON and OFF.	-	-	-	● ^{*15}	-
	Channel		4	2	4	2(4 DECK control compatible)	2(4 DECK control compatible)
	Channel Input Volume Knob	Adjusts the input level for each channel	● (TRIM)	● (TRIM)	● (GAIN)	● (GAIN)	● (Only channel)
Other	Level Meter (Master, Channel)	Displays the peak level effective for volume adjustment	●	●	●	●	●
	3-BAND EQ Knob	Adjusts the levels by frequency bands	●	●	●	●	●
	HEADPHONES MIX Knob	Adjusts the balance between the master output volume and the headphones volume	● (Headphones mixing knob)	● (Headphones mixing knob)	●	●	●
Main Specifications	REC Button	Starts and stops recording	-	-	●	● ^{*9}	-
	P-LOCK FADER CAP	Lock mechanism to prevent fader knobs from slipping	-	-	-	-	-
	CD/LINE Input		2 (CD), 2LINE (or PHONO)	-	-	-	-
Performance	MIC Input		2 (XLR/PHONE×1, PHONE×1)	2(XLR/PHONE×1, PHONE×1)	1(PHONE)	1(PHONE)	1(PHONE)
	AUX Input		-	1	1	1	-
	Master Output		2 (XLR×1, RCA×1)	2 (XLR×1, RCA×1)	2(PHONE×1, RCA×1)	2(PHONE×1, RCA×1)	1(RCA)
Other	Booth Output		●	●	●	●	●
	Headphones Terminal (STEREO PHONE JACK)		2 (φ6.3mm×1, φ3.5mm×1)	2 (φ6.3mm×1, φ3.5mm×1)	2 (φ6.3mm×1, φ3.5mm×1)	2 (φ6.3mm×1, φ3.5mm×1)	2 (φ6.3mm×1, φ3.5mm×1)
	External Monitor Output		-	-	-	-	-
Main Specifications	USB Terminal (USB Bus Power)		-	● ^{*17}	● ^{*17}	-	-
	Supplied AC Adaptor		AC100V (50Hz/60Hz)	AC100V (50Hz/60Hz)	AC100V (50Hz/60Hz)	555 × 280 × 103 mm (With feet detached: 555 × 280 × 62 mm)	380 × 208.5 × 65 mm
	External Dimensions (W×D×H)		664 × 357 × 70.4 mm	680 × 318 × 95.2mm (With feet detached: 680 × 318 × 63.2 mm)	680 × 318 × 95.2mm (With feet detached: 680 × 318 × 63.2 mm)	555 × 280 × 103 mm (With feet detached: 555 × 280 × 62 mm)	380 × 208.5 × 65 mm
Other	Weight		5.8 kg	4.9 kg	5.0 kg	2.9 kg	1.6 kg

*1: Users of Serato ITCH can update for free to Serato DJ Intro 2.2. See <http://pioneerdj.com/support/> for details. *2: Users of TRAKTOR PIONEER DDJ-T1 EDITION can update for free to TRAKTOR PIONEER DDJ-T1 EDITION 2. See <http://pioneerdj.com/support/> for details. *3: For connection and use with compatible devices, refer to the DJ software maker's website for details on the most compatible versions. *4: To use TRAKTOR SCRATCH PRO 2 sampling features, please download the settings file from <http://pioneerdj.com/support/>. *5: Uses can use TRAKTOR PRO 2 (Ver.2.1.2 or higher) without import a setting file. See <http://pioneerdj.com/support/> for details. *6: If using CrossDJ/Cross, these functions are not supported. *7: If using Serato DJ Intro, djay/djay LE and CrossDJ/Cross, compatible with 2 deck. *8: If using Serato DJ Intro or CrossDJ/Cross, these functions are not supported. *9: If using Serato DJ Intro, these functions are not supported. *10: If using Serato DJ Intro, TEMPO RANGE settings (±8%/±16%/±50%) are available. *11: If setting HOT CUE mode. *12: If setting DJ CUE mode. *13: If using djay/ djay LE, this function is not supported. *14: The ADVANCED/CHAINED switching button cannot be used in TRAKTOR PIONEER DDJ-T1 EDITION 2. *15: If using Serato DJ Intro, djay or CrossDJ/Cross, these functions are not supported. *16: If setting SAMPLER mode. *17: ome functions are limited. Furthermore, depending on the power supply of the USB port of the computer, the controller may not operate on bus power. If this occurs, connect the included AC adapter.

DJ SYSTEM			
Main Specifications	USB Storage Device	MP3/AAC/WAV/AIFF	●
	Wi-Fi devices	MP3/AAC	●
	(Smartphone/ Tablet/ Computer<MAC,Windows PC>)	USB Export, LINK Export	●
Display	Device		LCD
	Text display (Title Lines)		●
	BPM display	Auto BPM counter	●
Jog	Beat Display	First decimal display	●
	Playing Address		●
	JUMP Function (Page Jump/Alphabet Jump)		●/●
Player	KEYWORD SEARCH		●
	Search function		●
	Jog size (Maximum dimension measurement)		132mm
Tempo	Jog dial illumination		●
	VINYL mode/JOG DRUM mode		●/●
	Touch sensor		●
MIX	Scratch, Spin		●
	MASTER TEMPO		●
	TEMPO CONTROLL	Tempo range	±6/10/16/-100--+16
Performance	Pitch Bend	Minimum tempo step	0.02%
	BEAT SYNC		●(Jog)
	AUTO MIX		● ^{*1}
Other	LOOP	LOOP	●
	AUTO BEAT LOOP		●
	EMERGENCY LOOP		●
Mixer	JOG DRUM		●
	SAMPLE LAUNCH		●
	BEAT EFFECT		●
Controller	QUANTIZE		●
	10msec STEP		●
	CUE POINT Setting, BACK CUE, AUTO CUE, CUE SAMPLER		●
Main Specifications	CUE/LOOP MEMORY		●
	CASHING METER		●
	Crossfader Curve Switch		● (2 STEP)
Other	MIC Input Switch		2 (HI, LOW)
	MIC EQ		SOUND COLOR FILTER(1type)
	MANUAL EFFECT		2
Performance	Channel		●
	TRIM CONTROLL		● (ISOLATOR)
	3-BAND EQ		●
Mixer	Channel & Master Level Meter		●
	HEADPHONE MONITOR		●
	USB Recording		● (WAVE file)
Controller	Cord hook		●
	Bundled Software	rekordbox™	●
	MIDI Control/ HID Control		●
Main Specifications	Supported software ^{*2}	TRAKTOR PRO 2	● ^{*3}
		VIRTUAL DJ PRO7	●
	PHONO Input		2 (RCA) ^{*4}
Other	LINE Input		2 (RCA) ^{*4}
	MIC Input		1/4 inch Phone
	MASTER Output		2 (1/4 inch Phone×1, RCA×1)
Performance	PHONO, LINE Switch		2
	HEADPHONE (STEREO PHONE JACK)		2 (φ6.3mm×1, φ3.5mm×1)
	USB terminal		● ^{*8}
Mixer	AUTO STANDBY		●
	AC Adapter		AC100V(50Hz/60Hz)
	External Dimensions (W×D×H)		623 × 289.5 × 65 mm
Main Specifications	Weight		3.8 kg

*1: Works with music that has been analyzed by rekordbox™. *2: For more information about the compatibility of software versions with the different models, visit the relevant DJ software maker website. *3: The TRAKTOR PRO 2 mapping file can be downloaded at <http://pioneerdj.com/support/>. *4: Switches between LINE and PHONO. *5: The system not works on bus power. *6: Not commercialized by Pioneer. Use a commercially available fixture. *7: The included ear pads can be replaced with the HDJ-EP01. Shape and material of ear pads HDJ-EP01 differs from the original HDJ-1500 ear pads.

REMIX STATION			
Main Specifications	SCENE FX (BUILD UP)	BPF ECHO ECHO NOISE SPIRAL UP REVERB UP	Superimpose a sound that has passed through a band pass filter on the playback sound and add echo Add echo in sync with the specified beat Superimpose noise generated internally on the playback sound Raise the pitch while changing the time of the echo Add reverb, and raise the reverb pitch while changing the reverb time
	SCENE FX (BREAK DOWN)	HPF ECHO LPF ECHO CRUSH ECHO SPIRAL DOWN REVERB DOWN	Add echo to a sound that has passed through a high path filter Add echo to a sound that has passed through a low path filter Crush the playback sound and add echo Lower the pitch while changing the time of the echo Add reverb, and lower the reverb pitch while changing the reverb time
	ISOLATER FX	ISOLATOR CUT/ADD TRANS/ROLL	Adjust the volume of the low, middle, and high bands separately Lower the volume or add delay for a specific frequency band Cut or loop the playback sound in sync with the beat for a specific frequency band
Effect	X-PAD FX	GATE/DRIVE 1SHOT play LOOP play Repeat play	Use 1 SHOT play for an internal sound source or sampled sound Play a loop of an internal sound source or sampled sound in sync with the BPM Repeatedly play an internal sound source or sampled sound in sync with the rhythm of a song
	RELEASE FX	PITCH OVERDUB VINYL BRAKE ECHO BACK SPIN	Change the pitch of an internal sound source or sampled sound Play an internal sound source or sampled sound in sequences of one measure Gradually slow the speed of the playback sound until playback stops Stop playback and then output echo in sync with the specified beat Play the playback sound in reverse at high speed, and then finally stop playback
	Peak Level Meter		Check the input or effect output level
Other Functions/ Input and Output Terminals/ Specifications	TAP Button		Set the BPM in real time by tapping a finger
	Auto BPM counter		Automatically measure the BPM (speed of tempo) of a song, and then display the results digitally
	Auto beat tracker		Using the automatically measured BPM, correct an effect so that it does not shift even after extended use
Main Specifications	QUANTIZE		Analyze a song in real time and synchronize effects with the beat positions of the song
	SD card slot		Import sampled sounds or setting data from an SD card
	VST/AU Plug-in		Use the same effects used while DJing in a music creation application
Performance	Software		Change the values and types of various parameters and enable the the VST/AURITAS plug-in
	Audio Input		remixbox™/RMX-1000 Plug-in
	Audio Output		2 (RCA×1, PHONE×1)
Mixer	MIDI IN/OUT		2 (RCA×1, PHONE×1)
	Sampling Rate		1 (USB)
	A/D, D/A Converter		48 kHz
Main Specifications	Power Supply		24 bits
	External Dimensions (W×D×H)		AC100V (50Hz/60Hz)
	Weight		334×157×57 mm
Other			1.3 kg

DJ HEADPHONES						
Main Specifications	Fully Enclosed Dynamic Stereo Headphones		●	●	●	●
	Playback Frequency Range		5Hz-30,000Hz	5Hz-30,000Hz	5Hz-28,000Hz	5Hz-28,000Hz
	Impedance		36Ω	32Ω	45Ω	45Ω
	Maximum Input Power		3,500 mW	3,500 mW	2,000 mW	2,000 mW
	Output Sound Level		107dB	108dB	105dB	105dB
	Driver Unit		ø50 mm dome type	ø50 mm dome type	ø40 mm dome type	ø40 mm dome type
Function	ø3.5 mm 3P Mini Plug		●	●	●	●
	Weight (not including cord)		290g	285g	195g	195g
	Connection Cord	1.2 m one-side coiled cord	●	●	●	●
		1 m straight	-	-	●	●
		1 m straight cord with microphone	-	-	-	-
		Can be switched to a commercially available cable	-	-	-	-
Function	Swivelable Mini XLR Terminal	The swivel that returns in position automatically provides great flexibility	●	●	-	-
	Swivel Function	The housing can be rotated by 90°	●	●	-	-
	Swivel Auto Return Function	The swivel that returns in position automatically provides great flexibility	●	●	-	-
	Rotating Arm Function	The right side arm can rotate 60° in both directions	-	-	●	●
	Fold Mechanism	Can be folded to a compact form	●	●	-	-
	Click Function	Prevent inadvertent rotation of the headphones	●	-	-	-
Function	MONO/STEREO Switch	Switches the input sound between MONO and STEREO	●	●	-	-
	Service Kit	Service kits sold separately can be installed	●	●	-	-

System requirements of included softwares

MULTI PLAYER / DJ SYSTEM			
Product Name	Included software	rekordbox™ for Mac/ Windows	rekordbox™ for mobile device
	Product	CDJ-2000nexus / CDJ-900 / CDJ-850 / CDJ-350 / XDJ-AERO	CDJ-2000nexus / XDJ-AERO
Minimum Operating Environment*	Compatible Operating systems	Mac OS X (10.5.8, 10.6, 10.7) Windows® 7 Home Premium / Professional / Ultimate (32bit, 64bit) Windows Vista® Home Basic / Home Premium / Ultimate / Business (SP2 or later) (32bit, 64bit) Windows® XP Home Edition / Professional (SP3 or later) (32bit)	iPhone 3GS or later / iPod touch 3rd generation or later / iPad iOS 5 Android Smartphone / Tablet Android 2.1 or later *rekordbox does not guarantee the operation of the all smartphone and tablet.
	CPU/ Memory	■ Mac OS X Mac equipped with a 1.6 GHz or greater Intel® Core™ Duo (or compatible) processor/ 1 GB or more RAM ■ Windows® 7, Windows Vista®, Windows® XP PC/AT compatible computer equipped with a 2 GHz or greater Intel® Pentium® 4 (or compatible) processor/1 GB or more RAM	-
	Hard disk	250 MB of free HD space (excluding space necessary for storing music files)	-
	Optical drive	Disc drive capable of reading CD-ROM	-
	Other	-	rekordbox™ for Mac/Windows 1.6 or later required

DJ MIXER			
Product Name	Included software	TRAKTOR SCRATCH DUO 2	
	Product	DJM-T1	
Minimum Operating Environment*	Compatible Operating systems	Mac OS X (10.5, 10.6)	Windows® 7 Home Premium/Professional/Ultime (32bit, 64bit) Windows Vista® Home Basic/Home Premium/Business/Ultime (SP1 or later) (32bit, 64bit) Windows® XP Home Edition/Professional (SP3 or later) (32bit)
	CPU/ Memory	■ Mac OS X Mac equipped with a Intel® Core™ Duo processor/2GB or more RAM	■ Windows® 7, Windows Vista®, Windows® XP PC/AT compatible computer equipped with a 2.4 GHz or greater Intel® Pentium® 4, Intel® Core™ Duo or AMD Athion™ 64 processor/2 GB or more RAM
	Hard disk	500 MB of free HD space	
	Optical drive	Disc drive capable of reading DVD-ROM	
	Other	USB2.0 port/Internet connection	

DJ CONTROLLER						
Product Name	Included software	Serato DJ	Serato ITCH 2.0	TRAKTOR PIONEER DDJ-T1 EDITION 2	TRAKTOR LE 2	Virtual DJ Limited Edition
	Product	DDJ-SX	DDJ-S1	DDJ-T1	DDJ-ERGO-K	DDJ-ERGO-V/DDJ-WeGO
Minimum Operating Environment*	Compatible Operating systems	Mac OS X (10.8/ 10.7.4/ 10.6.8 (32bit, 64bit)) Windows® 7 Home Premium/Professional/Ultime (32bit, 64bit) ■ Mac OS X (10.6.8, 10.7.4, 10.8 (64bit)) Intel® processor, Core™ 2 Duo 2.4 GHz or better 4 GB or more RAM ■ Mac OS X (10.6.8, 10.7.4, 10.8 (32bit)) Intel® processor, Core™ 2 Duo 2.0 GHz or better 1 GB or more RAM ■ Windows® 7 (64bit) Intel® processor, Core™ 2 Duo 2.4 GHz or better 4 GB or more RAM ■ Windows® 7 (32bit) Intel® processor, Core™ 2 Duo 2.0 GHz or better 2 GB or more RAM	Mac OS X (10.5, 10.6, 10.7) Windows® 7 Home Premium/Professional/Ultime (32bit, 64bit) Windows Vista® Home Basic/Home Premium/Business/Ultimate (SP1 or later) (32bit, 64bit) Windows® XP Home Edition/Professional (SP3 or later) (32bit) ■ Mac OS X (10.6 (64bit)) Intel® processor, Core™ 2 Duo 2.4GHz or better/4GB or more RAM ■ Mac OS X (10.4.11/10.5.8/ 10.6 (32bit)) Intel® processor, Core™ Duo 1.8GHz or better/1GB or more RAM ■ Windows® 7 (64bit) Intel® processor, Core™ 2Duo 2.4GHz or better/4GB or more RAM ■ Windows Vista® (64bit) Intel® processor, Core™ 2Duo 2.2GHz or better/4GB or more RAM ■ Windows® 7 (32bit), Windows Vista® (32bit) Intel® processor, Core™ 2Duo 1.8GHz or better/2GB or more RAM ■ Windows® XP (32bit) Intel® processor, Core™ 2Duo 1.8GHz or better/1GB or more RAM	Mac OS X (10.5, 10.6) Windows® 7 Home Premium/Professional/Ultime (32bit, 64bit) Windows Vista® Home Basic/Home Premium/Business/Ultimate (SP1 or later) (32bit, 64bit) Windows® XP Home Edition/Professional (SP3 or later) (32bit) ■ Mac OS X Mac equipped with a Intel® Core™ Duo processor/ 2GB or more RAM ■ Windows® 7, Windows Vista®, Windows® XP PC/AT compatible computer equipped with a 2.4 GHz or greater Intel® Pentium® 4, Intel® Core™ Duo or AMD Athion™ 64 processor/2 GB or more RAM	Mac OS X (10.6, 10.7) Windows® 7 Home Premium/Professional/Ultime (32bit, 64bit)(Latest SP) ■ Mac OS X Intel Core 2 Duo, 2 GB RAM (4 GB or bigger) ■ Windows® 7 2.0 GHz Intel Core 2 Duo or AMD Athion 64 x2, 2 GB RAM (4 GB or bigger)	Mac OS X (10.5, 10.6) Windows® 7 Home Premium/Professional/Ultime (32bit, 64bit) Windows Vista® Home Basic/Home Premium/Business/Ultimate (SP1 or later) (32bit, 64bit) Windows® XP Home Edition/Professional (SP3 or later) (32bit) ■ Mac OS X Intel® processor/1GB or more RAM ■ Windows® 7, Windows Vista®, Windows® XP Intel® Pentium® 4 or AMD Athion™ XP processor/ 512MB or more RAM
	Hard disk	-	Sufficient free hard disk space for music data	500 MB of free HD space	1GB of free HD space	500 MB of free HD space
	Optical drive	-	Disc drive capable of reading CD-ROM	Disc drive capable of reading DVD-ROM	-	Disc drive capable of reading CD-ROM
	Other	Resolution of 1024 x 768 or greater	USB2.0 port/Resolution of 1024 x 768 or greater	USB2.0 port/Internet connection	Resolution of 1024 x 768 or greater/ Internet connection	USB2.0 port/Resolution of 1024 x 768 or greater

REMIX STATION			
Product Name	Included software	remibox™	
	Product	RMX-1000	
Minimum Operating Environment*	Compatible Operating systems	Mac OS X (10.5, 10.6, 10.7)	Windows® 7 Home Premium/Professional/Ultime (32bit, 64bit) Windows Vista® Home Basic/Home Premium/Ultime/Business (SP2 or later) (32bit) Windows® XP Home Edition/Professional (SP3 or later) (32bit)
	CPU/ Memory	■ Mac OS X Mac equipped with a 1.6 GHz or greater Intel® Core™ Duo (or compatible) processor/1 GB or more RAM	■ Windows® 7, Windows Vista®, Windows® XP PC/AT compatible computer equipped with a 2 GHz or greater Intel® Pentium® 4 (or compatible) processor/ 1 GB or more RAM
	Hard disk	250 MB of free HD space (excluding space necessary for storing music files)	
	Other	USB2.0 port	

Pioneer DJ Global websites

Pioneer DJ Global Home

pioneerdj.com


For PIONEER DJ Global communications, support, and product information.

Pioneer DJ Global official accounts

register.pioneerdj.com


Register here to receive email updates on the latest product news.

Pioneer DJ Global official accounts




facebook.com/pioneer.dj.global

Complete details about events worldwide. The Pioneer DJ fan page.



twitter.com/pioneerdjglobal

Follow us on Twitter to receive the latest information updates.



youtube.com/pioneerdjglobal

An abundance of video content including new product introduction videos and DJ performance videos are available to watch.


Pioneer DJ Japan website

Pioneer DJ website

pioneer.jp/cdj


For the latest news, detailed product information, and DJ/CLUB interviews.

Pioneer DJ Japan official accounts



twitter.com/PioneerDJJPN

Pioneer DJ's official Twitter Japan account



youtube.com/PioneerDJJPN

Pioneer DJ's official YouTube Japan account

Safety Precautions

To ensure proper and safe use of the products, make sure to read the relevant user's manual before use.

- Do not install the unit in a place exposed to water, humidity, vapor, dust or smoke. It may cause a fire hazard, electric shock or malfunction.
- Follow the user's manual instructions to prevent the unit from falling. The unit may tip or fall due to earthquake or other reasons and cause injury or damage.

Environment-friendly utilization

1. Do not forget to turn the unit off. It is also recommended to unplug the power cord when the unit is not used for a long period. 2. Use the unit with an adequate sound volume and level of brightness. 3. Make sure the unit is turned off before going to bed.

- To ensure a proper and safe use of the products, make sure to read the relevant user's manual before use.

● The products in this catalog are sold with a warranty. Make sure to fill the purchase date and other requested fields at the time of purchase, and store the unit with care. The minimum period of availability for maintenance parts is 8 years after the product has been discontinued. ● rekordbox™ and remibox™ are registered trademarks of Pioneer. ● TRAKTOR is a registered trademarks of Native Instruments. ● Serato DJ, SCRATCH LIVE™, Serato ITCH and Serato DJ Intro are registered trademarks of Serato. ● Virtual DJ is a registered trademark of Atomix Productions. ● Cross DJ and Cross are registered trademarks of MixVibes. ● VST is a trademark of Steinberg Media Technologies GmbH. ● The Audio Units logo is a trademark of Apple, Inc. ● Pro Tools® and RTAS® are registered trademark of Avid Technology, Inc. or its subsidiaries in the United States and/or other countries. ● iPhone, iPad, iPod touch, iTunes, Mac and Mac OS are registered trademarks of Apple Inc. in the United States and other territories. ● Windows®, Windows® 7, Windows Vista® and Windows® XP are registered trademark or trademark of Microsoft Corporation in the U.S.A. and other countries. ● Intel® is a registered trademark of Intel Corporation in America and other countries. ● Other product, technology and company names, etc. mentioned herein are the trade names or registered trademarks of their respective owners. ● Music date imported from audio CD are protected by copyright and for personal use only. ● External dimensions are the maximum dimensions with the knobs and terminals included. ● Pictures showing products or PCs are composite images.

Retailer

© 2012 PIONEER CORPORATION. All rights reserved.
Specification and design are subject to change without notice.
Due to color reproduction in printing, the product color may differ from the catalog.

The catalog contents are as of December 2012.

46

*Full functionality is not guaranteed on all computers, even those meeting the operating environment requirements described above. For the latest information on the operating environment and compatibility, and to acquire the latest operating system, please visit the DJ software maker's website.

ZWA025

47